

Skills Practice Procedure Checklist for Home Care Aides DSHS Approved

This skills practice procedure checklist is to be used by Home Care Aides learning skills taught by training programs on the job or by community instructors using the Fundamentals of Caregiving curricula or other approved training materials. The bolded checkpoints in this procedure guide are critical to the safe performance of the skill. Tasks highlighted below are not a part of the Prometric exam, however, *all* of these tasks supporting activities of daily living, are required to be demonstrated, in the presence of a qualified instructor as a part of any home care aide certification class. Have fun and happy training!

Table of Contents	Page Number
Common Care Practices	1
Communication and Client Rights	
S.W.I.P.E.S	1
Hand Washing	
Put on Gloves	2
Take Off Gloves	2
Use Personal Protective Equipment (PPE)	2
Assist a Client to Walk	2
Transfer a Client from Bed to Chair or Wheelchair	2/3
Turn and Position a Client in Bed	3
Mouth / Oral Care	4
Clean and Store Dentures	4
Fingernail Care	4 / 5
Foot Care	5
General Tips for Nail Care	6
Assist Client with a Weak Arm to Dress	6
Put Knee High Elastic Stocking on a Client	6
Passive Range of Motion (ROM) for One Shoulder	
Passive ROM for One Knee and Ankle	7
Assist a Client to Eat	7
Assist a Client with a Bed Bath	
Assist with Perineal Care	8
Catheter Care	
Condom Catheter Care (pending review, demonstrate if applicable)	
Medication Assistance	
Assist a Client with Use of Bedpan	
Shave with a Safety Razor	10
VERIFICATION OF COMPLETION: this page <i>must</i> be sent to the <u>TrainingApprovalTPA@dshs.v</u>	
in-box for each student who has completed OJT skills training at an ALF, AFH, or ESF	11

<u>Please Note:</u> All skills tasks must be taught by an approved instructor and demonstrated by the Home Care Aide candidate. Home care aide skills performance may be evaluated by using an anatomically correct mannequin.

Additional Resources:

Prometric Home Care Aide Checklist

Washington State Department of Health Home Care Aide Exam Preparation Materials



Skills Practice Procedure Checklist for Home Care Aides DSHS Approved

Common Care Practices - for you to successfully demonstrate this skill you need to:		
YI	ES	NO
Identify yourself to the client when beginning care		
Use infection control measures and standard precautions to protect the client and yourself through procedures		
Promote client's social and human needs throughout procedures		
Promote client's rights throughout procedures		
Promote client's safety throughout procedures		
Promote client's comfort throughout procedures		
Leave common use items within client's reach at end of care, e.g., phone, glasses, remote,	_	_
tissues, glass of water)		
Communication and Client Rights - for you to successfully demonstrate this skill you need to:		
	ES .	NO
Explain what you are doing	_	
Speak slowly, clearly, and respectfully		
Engage client and listen attentively		
Observe client for changes		
Support client's choice and independence		
Respect client's need for privacy		
S.W.I.P.E.S for you to successfully demonstrate this skill you need to:		
YI	S	NO
Gather Supplies before starting task		
Wash your hands before contact with a client		
Identify yourself by telling the client your name		
Provide privacy throughout care with a curtain, screen, or door		
Explain what you are doing for the client		
Scan the area to be sure everything is back in place after the task is done		
Hand Washing - for you to successfully demonstrate this skill you need to:		
	S	NO
Make sure supplies are within easy reach so no contaminated surface is touched		
throughout task		
Turn on warm water at sink		
Wet hands and wrists thoroughly		
Apply soap to hands		
Lather all surfaces of fingers and hands, including above the wrists, producing friction for		
at least 20 seconds, keeping fingers pointed down		
Thoroughly rinse all surfaces of hands and wrists without contaminating hands (keeping fingers pointed down)]	
Use clean paper towel(s) to dry all surfaces of fingers, hands, and wrists starting at fingertips		
Use clean, dry paper towel or clean, dry area of paper towel to turn off faucet without contaminating hands		
Dispose of used paper towels in wastebasket immediately after shutting off faucet		
End procedure with clean hands avoiding contamination (e.g., direct contact with faucet controls, paper towel dispenser, sink, or trash can)		

Put on Gloves - for you to successfully demonstrate this skill you need to:	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
Follow the Centers for Disease Control and Prevention (CDC) guidelines to identify when to use Personal Protect Equipment (PPE) and for donning and removing PPE - to successfully complete these skills, follow the link below and practice all current PPE protocols with your skills instructor.	tive w to review
YES Using Personal Protective Equipment (PPE) CDC	NO
Assist a Client to Walk - for you to successfully demonstrate this skill you need to:	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
The client is seated in a chair when care begins.	
Transfer a Client from Bed to Chair or Wheelchair - for you to successfully demonstrate this skill you need to: YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	

Assist client to put on non-skid footwear. Apply transfer / gait betil (if needed) over clothing, around client's weist with enough room to allow for placement of flat of hand only between bett and clients body	Transfer a Client from Bed to Chair or Wheelchair - for you to successfully demonstrate this skill you nee	d to (co	ntinued):
Make sure client's feet are flat on floor before standing, around client's waist with enough room to allow for placement of flat of hand only between bet and clients body. Stand in front of client. Grasp transfer bet lor osides or around back when assisting client to stand and throughout transfer. Brace one or both of clients legs with your own legs, then cue client to stand. Turn client upon standing so that back of legs are centered againsts seat of wheelchair. Cue client to hold onto armiests before sitting in wheelchair seat. Reposition client with hips touching the back of the wheelchair and makes sure client's body is aligned with chair. Position client's feet on footrests, lock / unlock wheelchair per client choice and/or safety. Position client's feet on footrests, lock / unlock wheelchair per client choice and/or safety. Leave client in wheelchair with proper body alignment and feet positioned on footrest. For the HCA skills test care begins with the client lying in bed. The client can stand but is unable to walk. A transfer belt is used. For the HCA skills test care begins with the client lying in bed. The client can stand but is unable to walk. A transfer belt is used. Fiation the head of the bed, if it's not flat already. Stand on the side of the bed opposite the direction you plan to turn the client. Cue the client to scoot toward you. If the client is unable to scoot toward you, assist by getting the client's entire body in alignment and near you so you can safely roll the client's trunk and bottom and move that portion of the body toward you. Place both hands beneath the client's trunk and bottom and move that portion of the body toward you. Place both hands beneath the client's trunk and bottom and move that portion of the body toward you. Place both hands beneath the client's trunk and bottom and move that portion of the body toward you. Place both hands beneath the client's thead of shoulder said and shoulder and gently roll the client over on their side toward you. Place b			NO
Apply transfer / gait belt (if needed) over clothing, around client's waist with enough room to allow for placement of flat of hand only between belt and clients body. Stand in front of client. Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer. Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer. Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer. Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer. Grasp standard	Assist client to put on non-skid footwear	🗆	
placement of flat of hand only between belt and clients body	Make sure client's feet are flat on floor before standing	🔲	
Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer. Brace one or both of client's legs with your own legs, then cue client to stand Cue client to hold onto armrests before sitting in wheelchair seat of wheelchair Cue client to hold onto armrests before sitting in wheelchair seat Cue client to hold onto armrests before sitting in wheelchair seat Reposition client with hips touching the back of the wheelchair and makes sure client's body is aligned with chair Reposition client with hips touching the back of the wheelchair and makes sure client's body is aligned with chair Remove transfer / gait belt Position clients feet on footrests, lock / unlock wheelchair per client choice and/or safety Leave client in wheelchair with proper body alignment and feet positioned on footrest Wash hands For the HCA skills test care begins with the client lying in bed. The client can stand but is unable to walk. A transfer belt is used. Turn and Position a Client in Bed - for you to successfully demonstrate this skill you need to: VES VES VES VES Should be side of the bed opposite the direction you plan to turn the client Cue the client to scoot toward you If the client is unable to scoot toward you, assist by getting the client's entire body in alignment and near you so you can safely roll the client Place both hands beneath the client's trunk and bottom and move that portion of the body toward you Place both hands beneath the client's thighs and lower legs and move that portion of the body toward you Place both hands beneath the client's thighs and lower legs and move that portion of the body toward you Place both hands beneath the client's thigh and lower legs and move that portion of the body toward you Place both hands beneath the client's thigh and lower legs and move that portion of the body toward you Place both hands beneath the client's t		🗆	
Brace one or both of client's legs with your own legs, then cue client to stand	Stand in front of client	🔲	
Cue client to hold onto ammests before sitting in wheelchair	Grasp transfer belt on sides or around back when assisting client to stand and throughout transfer	🔲	
Cue client to hold onto ammests before sitting in wheelchair			
Reposition client with hips touching the back of the wheelchair seat. Reposition client's feet on footrests, lock / unlock wheelchair and makes sure client's body is aligned with chair: Remove transfer / gait belt. Peosition client's feet on footrests, lock / unlock wheelchair per client choice and/or safety. Leave client in wheelchair with proper body alignment and feet positioned on footrest. Common			
Reposition client with hips touching the back of the wheelchair and makes sure client's body is aligned with chair. Remove transfer / gait belt. Position client's feet on footrests, lock / unlock wheelchair per client choice and/or safety. Leave client in wheelchair with proper body alignment and feet positioned on footrest. Command			
Service Serv		Ш	Ш
Position client's feet on footrests, lock / unlock wheelchair per client choice and/or safety		🗆	
Leave client in wheelchair with proper body alignment and feet positioned on footrest	· · · · · · · · · · · · · · · · · · ·		
Wash hands	·		
For the HCA skills test care begins with the client lying in bed. The client can stand but is unable to walk. A transfer belt is used. Turn and Position a Client in Bed - for you to successfully demonstrate this skill you need to: YES NO Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills			
Turn and Position a Client in Bed - for you to successfully demonstrate this skill you need to: YES NO	Wash hands	🔲	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills.		A tran	sfer belt is
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	Turn and Position a Client in Bed - for you to successfully demonstrate this skill you need to:		
Flatten the head of the bed, if it's not flat already		YES	NO
Stand on the side of the bed opposite the direction you plan to turn the client	Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	🗆	
Cue the client to scoot toward you	Flatten the head of the bed, if it's not flat already	🗆	
If the client is unable to scoot toward you, assist by getting the client's entire body in alignment and near you so you can safely roll the client	Stand on the side of the bed opposite the direction you plan to turn the client	🗆	
so you can safely roll the client	Cue the client to scoot toward you	🗆	
Place both hands beneath the client's head / shoulders and move that portion of the body toward you Place both hands beneath the client's trunk and bottom and move that portion of the body toward you Place both hands beneath the client's thighs and lower legs and move that portion of the body towards you Place both hands beneath the client's thighs and lower legs and move that portion of the body towards you Place both hands beneath the client's thighs and lower legs and move that portion of the body towards you Place client's arm on top of their chest and ensure their legs are crossed in the direction you will be turning the client onto their side Place your hands on the client's hip and shoulder and gently roll the client over on their side toward you (Tip: make sure there is room to roll the client) Position client a safe distance from the edge of bed when turned onto side Position client in proper body alignment Position client in proper body alignment Position client in proper body alignment is supported. Leave client's lower arm and shoulder free from being tucked under side Position device (e.g., padding, pillow) against back rolled and tucked to maintain client's side lying position Position device (e.g., padding, pillow) against back rolled Position client in side-lying position, avoiding direct pressure on hipbone with their ankles and knees separated Position top arm with supportive device Position client in side-lying position, avoiding direct pressure on hipbone with their ankles and knees separated Position top arm with supportive device Position client with top sheet, remove gloves (if used) and wash hands Position of the body towards you.		🗆	
Place both hands beneath the client's trunk and bottom and move that portion of the body toward you	Place both hands beneath the client's head / shoulders and move that portion of the body toward you	\square	П
Place both hands beneath the client's thighs and lower legs and move that portion of the body towards you			
Return to the side of the bed you plan to turn the client Place client's arm on top of their chest and ensure their legs are crossed in the direction you will be turning the client onto their side			_
Place client's arm on top of their chest and ensure their legs are crossed in the direction you will be turning the client onto their side			_
Will be turning the client onto their side		Ш	
CTip: make sure there is room to roll the client Position client a safe distance from the edge of bed when turned onto side Position client in proper body alignment Position client is not lying on arm and top arm is supported. Leave client's lower arm and shoulder free from being tucked under side Position client's lower Position device (e.g., padding, pillow) against back rolled Position client's side lying position Position client's side lying position Position client's side lying position Position client's proper alignment. Use device Position client's side lying position Position client's side lying position Position client's lower Positi	will be turning the client onto their side	🗆	
Position client in proper body alignment		🗆	
Head supported by pillow	Position client a safe distance from the edge of bed when turned onto side	🗆	
Shoulder adjusted so client is not lying on arm and top arm is supported. Leave client's lower arm and shoulder free from being tucked under side	Position client in proper body alignment	🔲	
arm and shoulder free from being tucked under side	Head supported by pillow	🗆	
and tucked to maintain client's side lying position		🗆	
(e.g., padding, pillow) to support top leg, maintain alignment of top hip, leave top knee flexed		🗆	
Leave client in side-lying position, avoiding direct pressure on hipbone with their ankles and knees separated		🗆	
Support top arm with supportive device			
Cover client with top sheet, remove gloves (if used) and wash hands			
			_
		J	_

Mouth / Oral Care - for you to successfully demonstrate this skill you need to:		
YE	S	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills]	
Ensure client is in an up-right sitting position]	
Wash hands and put on gloves]	
Offer to place a towel across client's chest before providing mouth care]	
Prior to starting, ask client about any mouth pain		
Moisten toothbrush or toothette and apply toothpaste		
Clean all surfaces of teeth with brush or toothette, using gentle circular motions		
Offer to brush client's tongue		
Offer client clean water to rinse their mouth	_	
Hold basin near client's chin to collect rinse water	_	
_	_	
Pat dry client's lips and face, and remove towel	_	
Rinse and dry basin and rinse toothbrush before storing		
Remove and dispose of gloves. Wash hands.	J	Ш
For the HCA skills test the client is sitting at a table while this care is provided.		
Clean and Store Dentures - for you to successfully demonstrate this skill you need to:		
YE	_	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	_	
Put on gloves	J	Ш
Use technique to reduce the risk of denture breakage if dropped during cleaning (e.g., brushing denture directly over sink lined with washcloth / paper town / towel, filled with water inside basin)]	
Prevent contamination of denture throughout procedure (e.g., floating in sink water or setting denture directly on unprotected surface]	
Obtain dentures from client. If the client is unable to remove them, gently remove dentures from the client's mouth. Take the lower denture out first, then the upper denture	1	П
Rinse dentures in cool running water before brushing		$\bar{\Box}$
Apply toothpaste or denture cleanser to toothbrush	_	Ī
Brush dentures on all surfaces		$\bar{\sqcap}$
Rinse all surfaces of denture under cool, running water		$\overline{\Box}$
Assist client with replacing or storing dentures	_	$\overline{\sqcap}$
Rinse denture cup before putting dentures in it		$\overline{\Box}$
Place dentures in clean denture cup with solution or cool water		
Dispose of sink liner or other soiled items. Remove and dispose of gloves. Wash hands		
For the HCA skills test the client is sitting at a table or lying in bed while this care is provided.	_	_
Fingernail Care - for you to successfully demonstrate this skill you need to:		
YE	S	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills]	
Wash hands and put on gloves]	
Put water in a bowl. Confirm the water is safe and at a comfortable temperature for the client. Adjust if necessary [П
Place water at a comfortable level for client		$\overline{\Box}$
Put client's fingers in water and allow to soak		$\overline{\Box}$
Pat dry client's hand including between fingers, prior to shaping or cleaning client's fingernails		
Dry client's hand by patting with towel, not rubbing	_	
Clean under nails with orange stick. Wipe orange stick on towel after cleaning each nail		
Groom nails with file or emery board.	J	Ш
Move back and forth with an emery board and do not go too deeply into the corners as this can cause the nail to split and weaken nails]	
File nails from one side to the other in one direction only or file each nail tip from corner to center]	

Fingernail Care - for you to successfully demonstrate this skill you need to (continued):	
YES	NO
Cuticles act as a barrier to infection. Do not clip cuticles	
Finish with nails smooth and free of rough edges	
Offer to apply lotion	
Empty, clean water bowl(s), store equipment, dispose of used linen(s) and trash appropriately and leave the table dry at completion of procedure	
Remove gloves, wash hands	
If a client has a circulatory problem or diabetes, a Home Care Aide should not use an orange stick on the client's fingernails.	
For the HCA skills test the client is sitting at a table while this care is provided.	
Foot Care - for you to successfully demonstrate this skill you need to:	
YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	
Wash hands and put on gloves	
Inspect the client's foot carefully before starting the procedure by checking between the toes and the heels of the foot. Inquire whether the client has any pain or sensitive areas before beginning	
Put water in basin, filling it no less than halfway full	
Ask client if water temperature is comfortable before foot is completely submerged. Adjust if necessary	
Put the client's foot completely in the water	
Supporting foot and ankle properly throughout procedure, remove foot from water, wash entire foot,	Ш
including between toes, with soapy washcloth. Keep water in basin soap free for use as rinse water by: (1) washing foot with washcloth with soap applied directly to the washcloth instead of adding soap into basin of water; or (2) using two separate basins of water: one for washing and one for rinsing	П
Be sure to add the soap to the wet washcloth rather than directly in the water	
Wash client's entire foot including between toes with soapy washcloth after soaking	
Rinse to remove soap from foot and in between toes	_
·	
Prior to cleaning dirt out from under client's nails, gently pat their foot dry including between their toes	
Clean under nails with orange stick. Wipe orange stick on towel after cleaning each nail	
Groom nails straight across with file or emery board	
Move back and forth with an emery board and do not go too deeply into the corners as this can cause the nail to split and weaken	
File nails from one side to the other in one direction only or file each nail tip from corner to center	
Cuticles act as a barrier to infection. Do not clip cuticles	
Finish with nails smooth and free of rough edges	
Ask if client would like lotion applied. If so, put lotion in your hand and apply lotion to the client's entire foot making sure not to put lotion in-between the toes. Remove excess lotion (if any) with towel	
Assist client to replace socks and shoes	
Empty, rinse, wipe bath basin, and return to proper storage	
Remove gloves and wash hands	
If a client has a circulatory problem or diabetes, a Home Care Aide should not use an orange stick on the client's toenails.	_
For the HCA skills test the client is sitting in a chair while this care is provided	

The following are general tips when helping a client with nail care:	
YES	NO
Inspect your client's feet and hands regularly for changes in color (especially redness), temperature, blisters, cuts or scratches, cracks between the toes / fingers, or other changes. Document and report any swelling or redness	
you notice around the area. Always verify the client's care plan prior to performing nail care	
Monitor minor cuts and keep them clean	
Do not put lotion in-between the toes – the lotion causes moisture that promotes fungal growth	
Do not cut down the corners of a client's nails or dig around the nail with a sharp instrument for any client	
Smooth, clean nails provide comfort and safety for a client. Jagged or sharp nails can catch and tear on clothing and may cause injury to the toes / fingers. Always handle a client's feet and hands gently and carefully	
Assist Client with a Weak Arm to Dress - for you to successfully demonstrate this skill you need to:	
YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	
Ask client what they would like to wear	
Put on all items, moving client's body gently and naturally, avoiding force and over-extension of limbs and joints	
Assist client to put the weak arm through the correct sleeve of the shirt, sweater, or slip before placing garment on the unaffected side. Place shirt sleeve over weak arm before putting on non-affected arm	
Cue client with dressing	
Ensure client is sitting when putting feet and legs into pants and when assisting with non-skid footwear	
Provide support to client when pulling up and securing pants	
Finish with client dressed appropriately (clothing right side out, zippers / buttons fastened, etc.)	
	_
Wash hands	
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be	_
	_
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to:	dressed in
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES	dressed in
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	dressed in
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO
For the HCA skills test the client is able to stand. The client is wearing a T-shirt and underwear and needs to be a shirt, pants, socks, and shoes. The client will be dressed over their own clothing. Put a Knee High Elastic Stocking on Client - for you to successfully demonstrate this skill you need to: YES Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	NO

Passive Range of Motion for One Shoulder - for you to successfully demonstrate this skill you need to (continued):		
	YES	NO
Raise client's straightened arm toward ceiling, back towards the Head of Bed (HOB) and return to a flat position as one repetition (shoulder flexion / extension). Repeat at least three (3) times		
Move client's straightened arm away from side of body towards HOB and return client's straightened arm to midline of client's body as one repetition (shoulder abduction / adduction). Repeat at least three (3) times	. 🗆	
Place client's flexed elbow at client's shoulder level, rotate forearm toward HOB and rotate forearm down towards hip. Repeat at least three (3) times	. 🗆	
Wash hands	. 🗆	
For the HCA skills test the client is lying in bed while this care is provided.		
Passive Range of Motion for One Knee and Ankle - for you to successfully demonstrate this skill you need	to:	
	YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	. 🗆	
While supporting the client's limb through the following exercises, move joint gently, slowly, and smoothly through the range of motion to the point of resistance	. 🗆	
Knee: support the client's leg at knee and ankle joints, while performing range of motion for knee	. 🗌	
Ask the client how they feel during the exercise. Stop if pain occurs	. 🔲	
Bend the knee back to the point of resistance and then return leg flat to bed (followed by straightening knee as one repetition – knee flexion / extension). Repeat at least three (3) times	. 🗆	
Ankle: support foot and ankle while performing range of motion for ankle	. 🗆	
Push the foot forward towards the leg, and in a separate motion push the foot pointed down toward to the foot of bed as one repetition (ankle flexion / extension). Repeat three (3) times	. 🗆	
Wash hands	П	П
	. Ш	_
For the HCA skills test the client is lying in bed while this care is provided.		
	. Ш	
For the HCA skills test the client is lying in bed while this care is provided.	YES	NO
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to:	YES	
For the HCA skills test the client is lying in bed while this care is provided.	YES	NO
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES . .	NO
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins	YES . .	NO
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins. Offer client a clothing protector	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal Make sure the client's mouth is empty before offering the next bite or sip of beverages	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins. Offer client a clothing protector. Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite. Offer a beverage to the client during the meal. Make sure the client's mouth is empty before offering the next bite or sip of beverages. Engage client in conversation throughout the meal.	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins. Offer client a clothing protector	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins. Offer client a clothing protector	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal Wipe food from client's mouth and hands as necessary and at the end of the meal Remove clothing protector, if worn, and dispose of in proper container Remove leftover food	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins. Offer client a clothing protector	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector. Sit at client's eye level to assist the client to eat. Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite. Offer a beverage to the client during the meal. Make sure the client's mouth is empty before offering the next bite or sip of beverages. Engage client in conversation throughout the meal. Wipe food from client's mouth and hands as necessary and at the end of the meal. Remove clothing protector, if worn, and dispose of in proper container. Remove leftover food. Leave table clean, dry, and clear of food items. Wash hands.	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat. Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal. Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal. Wipe food from client's mouth and hands as necessary and at the end of the meal. Remove clothing protector, if worn, and dispose of in proper container. Remove leftover food Leave table clean, dry, and clear of food items. Wash hands For the HCA skills test the client is sitting at a table when care begins for this skill.	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal Wipe food from client's mouth and hands as necessary and at the end of the meal Remove clothing protector, if worn, and dispose of in proper container. Remove leftover food Leave table clean, dry, and clear of food items Wash hands For the HCA skills test the client is sitting at a table when care begins for this skill. Assist a Client with a Bed Bath - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal. Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal Wipe food from client's mouth and hands as necessary and at the end of the meal Remove clothing protector, if worn, and dispose of in proper container Remove leftover food Leave table clean, dry, and clear of food items. Wash hands For the HCA skills test the client is sitting at a table when care begins for this skill. Assist a Client with a Bed Bath - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Put on gloves	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal Wipe food from client's mouth and hands as necessary and at the end of the meal Remove clothing protector, if worn, and dispose of in proper container Remove leftover food Leave table clean, dry, and clear of food items Wash hands For the HCA skills test the client is sitting at a table when care begins for this skill. Assist a Client with a Bed Bath - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Put on gloves Remove or fold back top bedding. Keep client covered with bath blanket or top sheet	YES	NO O
For the HCA skills test the client is lying in bed while this care is provided. Assist a Client to Eat - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Ensure client is sitting upright in chair before assistance begins Offer client a clothing protector Sit at client's eye level to assist the client to eat Offer food in bite-size pieces, alternating types of food offered or ask client's preference for each bite Offer a beverage to the client during the meal. Make sure the client's mouth is empty before offering the next bite or sip of beverages Engage client in conversation throughout the meal Wipe food from client's mouth and hands as necessary and at the end of the meal Remove clothing protector, if worn, and dispose of in proper container Remove leftover food Leave table clean, dry, and clear of food items. Wash hands For the HCA skills test the client is sitting at a table when care begins for this skill. Assist a Client with a Bed Bath - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Put on gloves	YES	NO O

Assist a Client with a Bed Bath - for you to successfully demonstrate this skill you need to (continued):		
	YES	NO
Keep water in basin soap-free for use as rinse water by: (1) washing with washcloth with soap applied		
directly to the washcloth instead of adding soap into the basin of water; or (2) using two separate		
basins of water: one for washing and one for rinsing		닏
Replace water anytime it gets soapy, cool, or dirty		닏
Place a dry towel behind the client's head / neck	. Ш	
Wet washcloth (no soap) and begin with eyes. Use a different area of the washcloth for each eye,		
washing inner to outer corner		님
Wash the rest of the face, ears, and neck using soap (if the client prefers)	닏	
Rinse, dry area with a towel – pat, don't rub	Ш	Ш
Expose one arm and place a towel underneath it. Support the client's arm with the palm of your hand		
underneath the client's elbow. Wash the client's arm, shoulder, and armpit. Rinse and pat dry	ш	
Place the client's hand in the water basin. Wash the client's hand, rinse, and pat dry. Repeat with the		
other arm and hand		H
Uncover one of the client's legs and place a towel lengthwise under the foot and leg. Bend the knee	ш	Ш
and support the leg with your arm. Wash the leg, rinse, and pat dry		
Slide the client's foot into the water basin. Wash the client's foot, rinse, and pat dry. Repeat with the	ш	
leg and foot		
Assist the client to turn on their side, away from you. Place a bath blanket or towel alongside their back	ш	Ш
Wash the client's back and buttocks, rinse, and pat dry		
Assist the client to their back. Provide privacy and let the client perform their own perineal care (if able);	ш	Ш
if not, this task is covered separately	. 🗆	
Leave client covered with top sheet and/or blanket at the end of care		Ħ
Remove bedding that may have gotten wet		Ħ
Place soiled clothing and linen in proper container		Ħ
Empty, rinse, clean, sanitize bath basins and return to proper storage		Ħ
Remove and dispose of soiled gloves		Ħ
Wash hands		\exists
	. 🗀	
	· 🗀	Ш
Assist with Perineal Care - for you to successfully demonstrate this skill you need to:		NO
Assist with Perineal Care - for you to successfully demonstrate this skill you need to:	YES	NO \square
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES . 🔲	_
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES 	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Fill basin with water, use water that is a safe and comfortable temperature for the client. Adjust as requested Wear gloves while providing perineal care, while rinsing and drying equipment and handling soiled linens Protect client's bedding from getting wet with a towel or disposable bed pad Uncover the perineal area. Make sure the client's privacy is maintained	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Fill basin with water, use water that is a safe and comfortable temperature for the client. Adjust as requested Wear gloves while providing perineal care, while rinsing and drying equipment and handling soiled linens Protect client's bedding from getting wet with a towel or disposable bed pad Uncover the perineal area. Make sure the client's privacy is maintained Keep water in basin soap-free for use as rinse water by: (1) washing with washcloth with soap applied directly to the washcloth instead of adding soap into the basin of water; or (2) using two separate basins of water: one for washing and one for rinsing Gently wash entire perineal area with a soapy washcloth. Use a clean area of the washcloth for each stroke. Clean from front to back of perineal area Rinse entire perineal area with a clean washcloth. Use a clean area of the washcloth for each stroke. Rinse from front to back of perineal area Gently pat dry perineal area, moving from front to back Assist client with rolling to side. Make sure client is a safe distance from the edge of bed	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills. Fill basin with water, use water that is a safe and comfortable temperature for the client. Adjust as requested. Wear gloves while providing perineal care, while rinsing and drying equipment and handling soiled linens. Protect client's bedding from getting wet with a towel or disposable bed pad. Uncover the perineal area. Make sure the client's privacy is maintained. Keep water in basin soap-free for use as rinse water by: (1) washing with washcloth with soap applied directly to the washcloth instead of adding soap into the basin of water; or (2) using two separate basins of water: one for washing and one for rinsing. Gently wash entire perineal area with a soapy washcloth. Use a clean area of the washcloth for each stroke. Clean from front to back of perineal area. Rinse entire perineal area with a clean washcloth. Use a clean area of the washcloth for each stroke. Rinse from front to back of perineal area. Gently pat dry perineal area, moving from front to back.	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	YES	
Assist with Perineal Care - for you to successfully demonstrate this skill you need to: Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills Fill basin with water, use water that is a safe and comfortable temperature for the client. Adjust as requested Wear gloves while providing perineal care, while rinsing and drying equipment and handling soiled linens Protect client's bedding from getting wet with a towel or disposable bed pad. Uncover the perineal area. Make sure the client's privacy is maintained. Keep water in basin soap-free for use as rinse water by: (1) washing with washcloth with soap applied directly to the washcloth instead of adding soap into the basin of water; or (2) using two separate basins of water: one for washing and one for rinsing Gently wash entire perineal area with a soapy washcloth. Use a clean area of the washcloth for each stroke. Clean from front to back of perineal area. Rinse entire perineal area with a clean washcloth. Use a clean area of the washcloth for each stroke. Rinse from front to back of perineal area. Gently pat dry perineal area, moving from front to back. Assist client with rolling to side. Make sure client is a safe distance from the edge of bed. Wash, rinse, and pat dry buttocks and peri-anal area. Use a clean area of the washcloth for each stroke. Wipe from front to back to avoid contaminating the perineal area. Replace bed pad or bottom sheet, if necessary. Minimize exposure of the client's body during the procedure. Leave client covered with top sheet and/or blanket at the end of care. Remove soiled or wet washcloths, towels, bed pads, bedding, or clothing. Dispose of in proper containers.	YES	

Catheter Care - for you to successfully demonstrate this skill you need to:		
	YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	🗆	
Test water temperature in basin. Determine if water temperature is safe and verify with client it is comfortable adjust if necessary	🗆	
Keep water in basin soap-free for use as rinse water by: (1) washing with washcloth with soap and apply		
directly to the washcloth instead of adding soap into the basin of water; or (2) using two separate basins of water: one for washing and one for rinsing	🗆	
Minimize exposure of the client's body during care	🔲	
Wear gloves, before handling catheter, tubing, urinary drainage bag or beginning cleansing and throughout the procedure while providing catheter care, while rinsing and drying equipment and handling soiled linens	🗆	
Position client a safe distance from the edge of the bed if turned on side during care	🔲	
Place towel or pad under catheter tubing before washing as to not get client's sheets or clothing wet during cleaning	🗆	
Uncover area surrounding catheter only	🔲	
Use soapy washcloth to cleanse catheter	🔲	
Change spot on washcloth for each washing and rinsing stroke. Do not tug catheter. Hold catheter near opening where it enters the body to avoid tugging it	🗆	
Clean at least four inches of the catheter nearest the opening of the urethra, moving from the opening downwards away from the body. Use a clean area of the washcloth for each stroke	🗆	
Using a different washcloth, rinse at least four inches of the catheter nearest the opening, move from the opening downwards away from the body, using a clean area of the washcloth for each stroke		
Pat dry any area of client's skin that may have gotten wet	🔲	
Leave skin areas that become wet during care and bed sheets dry at completion of care	🔲	
Keep the urinary drainage bag positioned lower than bladder throughout care and at the end of the procedure. Make sure there are no kinks in catheter tubing	🗆	
Dispose of towels and other items in proper containers		
Leave client covered with top sheet at the end of care	🔲	
Remove and dispose of gloves and wash hands	🗆	
For the HCA skills test the client is lying in bed while this care is provided.		
Condom Catheter Care		
	YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	🔲	
Put on gloves	🗆	
Uncover genital area only	🔲	
Wash and dry penis carefully, cut long hairs	🔲	
Observe skin of penis for open areas	🔲	
If sores or raw areas are present, do not apply condom	🗆	
Put skin adhesive over penis	🗌	
Roll condom catheter over penis area	🗌	
Attach condom to tubing. Check that the tip of the condom is not twisted		
Secure tubing to the client's leg. Ensure bag is below the level of the bladder		
Remove and dispose of gloves and wash hands		

Medication Assistance - for you to successfully demonstrate this skill you need to:	
YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	
Check client's medication schedule	
Remind the client it is the scheduled time to take their prescribed medication.	
Select the correct medication bottle, labeled with client's name	Ш
Take the medication container from where it is stored, look at the label, and verify the 5 Rights - medication, client, amount, route, and time	
Open the container, look at the label and verify the 5 Rights again	
Pour the medication from the bottle to the lid cap without touching medication	
Give client the correct number of pills by pouring them from the lid cap to their hand without touching the medication	
Cue client to take medication	
Assist the client to take medication without having your hand over the client's hand or tipping the client's hand to place pill(s) into the client's mouth, or placing the pill directly into the client's mouth	
Offer the client a full glass of fluid (for oral medications)	
Observe and make sure the medication is taken. Ask client or check if medication is swallowed	
Close the medication container and put it back in the appropriate place; verify the five (5) rights again	
Document that the client has taken the medication. If they have not, document that too	
Wash hands	
For the HCA skills test the client is sitting a table while this care is provided.	
Assist Client with use of Bedpan - for you to successfully demonstrate this skill you need to:	
YES	NO
Use S.W.I.P.E.S. Communications / Client Rights and Common Care Practice Skills	
Before placing bedpan, lower the head of the bed	
Wear gloves to place bedpan correctly under client's buttocks (standard bedpan: positions bedpan so wider end of the pan is aligned with the client's buttocks; fracture pan: position bedpan with handle toward foot of bed). Have client bend knees and raise hips (if able)	
Raise head of bed after placing bedpan under the client	
Put toilet tissue within client's reach	$\overline{\Box}$
Ask client to let you know when they are finished	$\overline{\sqcap}$
Offer to cover client with a bed sheet or blanket	_
Lower the head of the bed before removing the bedpan	П
Put on gloves before removing the bedpan	П
Remove bedpan and empty contents into toilet	Ī
Provide perineal care (follow checklist procedures)	\Box
Clean and sanitize equipment as per protocol. Return to proper storage	
Remove and dispose of gloves and wash hands	\Box
Shave with a Safety Razor - for you to successfully demonstrate this skill you need to:	
YES	NO
Use S.W.I.P.E.S. skill	
Put on gloves	
Ask client if they wear dentures. If so, make sure they are in their mouth	
Wash face with warm wet washcloth	
Apply shaving lather to the area to be shaved	
Hold razor securely	
Rinse safety razor in warm water between strokes to keep the razor clean and wet	
Shave sides first, then nose and mouth	
Wash, rinse, and dry face	
Clean and put away equipment.	Ï
Remove and dispose of gloves and wash hands	



Skills Practice Procedure Checklist for Home Care Aides DSHS Approved

Verification of HCS On The Job Skills Practice Training Provided by Facility Instructor(s) in an AFH, ALF, or ESF

This page must be sent to the DSHS Training Unit for each Home Care Aide candidate who has completed On-The-Job skills training at your facility.

Training" as the subject line		<u>.gov</u> inbox. Enter Facility On-The-Job
NAME OF STUDENT the presence of an approve tasks included on this proce	d DSHS facility instructor, all critic	trated, while working with a client, in all steps required for personal care
FACILITY NAME		FACILITY TRAINING NUMBER WA
INSTRUCTOR'S SIGNATURE	PRINT INSTRUCTOR'S NAME	INSTRUCTOR'S TRAINING CODE NUMBER
STUDENT'S SIGNATURE	PRINT STUDENT'S NAME	DATE OF COMPLETION

Please Note: All skills tasks must be taught by an approved facility instructor and demonstrated by the Home Care Aide worker/employee. When needed, if no client is available or no client agrees to participate in a particular skills training procedure, home care aide skills performance may be evaluated by using a mannequin or training partner.

> This page is not required to be completed and sent back to DSHS if home care aide skills training was taught by a DSHS contracted Community Instructor in a skills lab.