

# Initial Inspection Process for Adult Family Homes (AFH)

**Amena Jones** 

**Residential Care Services (RCS)** 

Residential Inspection and Quality Assurance Program (RIQAP) Manager



# **Resources – Regulations**

Adult Family Home Minimum Licensing Requirements

Washington Administrative Code WAC Chapter 388-76

State Building Code Adoption and Amendment of the 2021 Edition of the International Residential Code, Section R330 – Adult Family Homes

Washington Administrative Code 51-51-0330

Residential Long-Term Care Services Training

Washington Administrative Code Chapter 388-112A

#### Resources

Information for AFH Prospective Providers | DSHS (wa.gov)

**AFH Initial Inspection Preparation Checklist** 

<u>Initial Inspection Licensor Working Papers</u>

Contact for Amena Jones — <u>Amena.jones@dshs.wa.gov</u> (360)725-2575 or (360) 995-2243

Contact for AFH policy program manager - <a href="mailto:rcspolicy@dshs.wa.gov">rcspolicy@dshs.wa.gov</a>

# **Learning Objectives**

 Identify resources available to those interested in opening an adult family home.

Overview the routing for adult family home applications at RCS.

Explain the initial inspection process for adult family homes.

# The Path to Licensure



Application submitted to BAAU



BAAU sends completed file to RIQAP



Initial Inspection Process conducted by RIQAP



Recommended for Licensure by RIQAP

- Applicant submits application to the Business Analysis and Applications Unit (BAAU).
- BAAU considers the application complete when all requested items are received.
- Complete applications are sent the Residential Inspection and Quality Assurance Program Unit (RIQAP).
- The application is assigned to a RIQAP licensor for the initial inspection process.
- The licensor recommends licensure when the applicant meets the minimum licensing requirements.

The information shared in today's presentation is relevant to the initial inspection process conducted by the RIQAP unit.

# **Initial Contact with Applicant**

- The RIQAP licensor will attempt to contact the applicant via email within 5 business days of the file being assigned to them for inspection.
- Initial inspection dates will be offered (these dates are typically 2-5 weeks out).
- The applicant may request a later date if additional time is desired to get ready.
- The licensor will also offer an optional video preinspection call.



# **Pre-Inspection Video Call (optional)**

#### The licensor will:

- Send an invite for the agreed upon date and time.
- Conduct the video call via Teams meeting or FaceTime.
- Go on a virtual walkthrough of the home.
- Look for potential issues that are not quick fixes (i.e., hand-rails on ramps).


Note that this pre-inspection video call is a courtesy, and an on-site visit will still be required.



#### **File Review**

The Licensor will review the BAAU provided file for the following:

- AFH building inspection checklist.
- Expiration dates (i.e., CPR).
- Missing documents.



# **Email Confirmation**

#### The email confirmation will include:

- Agreed upon on-site visit date and time.
- Discrepancies in the application or dates that will expire soon.
- The most current AFH Initial Inspection Preparation Checklist.



AGING AND LONG-TERM SUPPORT ADMINISTRATION (ALTSA) ADULT FAMILY HOME (AFH)

#### **AFH Initial Inspection Preparation Checklist**

This checklist is designed to assist the applicant in preparation for the initial inspection. You are responsible for meeting the requirements of the current Washington Administrative Code (WAC) and Revised Code of Washington (RCW). WACs are listed for reference only and are subject to revision. The onsite initial inspection usually takes between three and five hours depending on the size of the home, the organization of the applicant and any unforeseen onsite environmental challenges. The home should be move in ready on the day of initial inspection. Please only schedule your initial inspection when you have confirmed your home meets all minimum licensing requirements.

Interior Physical Environment	WAC 388-76:
Posting: In a visible location for staff, visitor, and residents to view	
Post the ALTSA / Complaint Resolution Unit (CRU) hotline abuse / neglect contact information	10505

#### **Entrance**


Upon entrance the licensor will give an overview of the process for the day and gather basic information related to the home and people that will have access to the residents.

Entrance Interview Attachme						
INTERVIEW						
Introductions / hand out business card						
IDENTIFY WHO CURRENTLY LIVES IN THE	HOME (ANY PERS			ID DATE OF BIRTH		
NAME(S)		RELATIONSHIP	NAME(S)		RELATIONSHIP	
NAME(S) OF OTHERS WHO WILL HAVE UN	ISUPERVISED ACC	ESS TO RESIDENTS				
NAME(S)		RELATIONSHIP	NAME(S)		RELATIONSHIP	
PETS LIVING IN THE HOME						
PET NAME(S) / TYPE(S)	RABIES VACCINATION	TEMPERMENT	PET NAME(S) / TYPE(S)	RABIES VACCINATION	TEMPERMENT	
1.	☐ Yes		3.	☐ Yes		
2.	☐ Yes		4.	☐ Yes		

# **Administrative Records**

The following documents will be reviewed:

- Orientation checklist for new staff.
- Emergency Evacuation Log.
- Sewage/Septic system verification.
- Water system verification.
- Accident/Injury Log.



# **Administrative Records - Sewage/Septic System**

# The following is required for Sewage/Septic System Verification:

	<b>.</b>
Independent (septic)	Public
<ul> <li>Obtain a document from the local health/inspecting authority showing the system:</li> <li>Has been inspected.</li> <li>Is approved for utilization in an AFH.</li> <li>The number of people (not bedrooms) the septic system can accommodate.</li> </ul>	Obtain a document from the service provider that shows the:  • Proposed AFH site address.  • Current bill paid on the day of inspection.

ADMINISTRATIVE RECORDS			
Documents:			
	CH	ECK (	ONE
	*M	N	N/A
Orientation checklist for new staff			
Emergency Evacuation Log			
Sewage / Septic system* Verification – Copy Required			
Water system Verification* - Copy Required			
Accident / Injury Log - Copy Required			

# **Administrative Records – Water System**

# The following is required for Water System Verification:

Private (well)	Public
Obtain a document from the local health/inspecting authority showing the system has:  • Been inspected and approved.  • Group B Water rating.	Obtain a document from the service provider that shows the:  • Proposed AFH site address.  • Current bill paid on the day of inspection.

ADMINISTRATIVE RECORDS			
Documents:			
	CH	ECK C	NE
	*M	Ν	N/A
Orientation checklist for new staff			
Emergency Evacuation Log			
Sewage / Septic system* Verification – Copy Required			
Water system Verification* – Copy Required			
Accident / Injury Log – Copy Required			

# Sample Resident File

The Licensor will also review a sample resident file.

		Resident R	ecords / Applic	cant Interview
N	N/A		WAC	COMMENTS
		Notice of rights and service requirements		
		Financial Recordkeeping – SECTION ONLY	10320	
		Resident Information Sheet – MUST HAVE FORM / SECTION	10320	
		Assessment / Preliminary Svc Plan - SECTION ONLY	10330 - 10340.	
		Negotiated Care Plan - SECTION ONLY	10355 - 10385	
		Legal Documents – SECTION ONLY	10325	
		Personal Belonging Inventory – MUST HAVE FORM / SECTION	10320	
		Nurse Delegation Paperwork – MUST HAVE SECTION	10320	
		Medication Log – MUST HAVE FORM	10475	
		Medication Professional Orders – MUST HAVE SECTION	10320	
		Disclosure of Charges – MUST HAVE FILLED OUT FORM	10540	
		Availability of files		
		Plan to keep files confidential		


# **Staff Records**

The licensor will review this information verbally with the applicant. This information is obtained from the application. Any discrepancies or expired dates will be addressed.

Staff Records Attachment					
EXEMPT STAFF					
PLEASE ANSWER THE FOLLOWING:	APPLICANT	RESIDENT MANAGER	ENTITY REPRESENTAT IVE		
NAME					
WHY EXEMPT?					
DOH EXPIRATION DATE					
REVISED FUNDAMENTALS DATE COMPLETED					
CPR EXPIRATION DATE					
FIRST AID EXPIRATION DATE					
FOOD SAFETY EXPIRATION DATE					
WA BGI COMPLETION DATE					
FINGERPRINT DATE					
MENTAL HEALTH					
DEVELOPMENTAL DISABILITIES					
DEMENTIA					
NON-EXEMPT STAFF					
NAME OF NON-EXEM		Exempt LTC Workers: LPN, RN, CNA, persons in an approved CNA			
NAME	HCA EXPIRATION DATE	program, Medicare Certified Home Health aide, or person with special education training and an endorsement granted by the Superintendent of Public Instruction. LTC worker employed in LTC setting between 01/01/2011 to 01/06/2012 AND met educational requirements at the time.			
		Non-Exempt LTC Workers: Staff must have direct supervision until he/she has completed Core Basic Training within 120 days.			
		<ul> <li>Caregiver Specialty: HCA - Need certificate within 120 days of hire. HCA exempt- need certificate within 90days of hire.</li> </ul>			

# **Interview Questions**


These questions are asked for every new applicant. They will not be asked when the file is a Multiple Home Provider (MHP) or a relocation.



# **Bedrooms - Windows**

Windows do not meet the requirement if they are missing privacy covering.

Screens do not meet the requirements if they have holes or are bent (because it could allow for entry of insects or bugs).



# Bedrooms – Windows – Size and Windowsill Height

At least one window **opening** in each bedroom must meet **each** of the following **minimum** requirements:

□Opening height 24" (2 feet)	note: A
, ,	minimu
□Opening width 20" (1.67 ft)	3.34 sq
$\perp$ IOnening 5 / square test (270 2")	•
Ground level opening 5.0 square feet (720)	)")

Note: A window opening that meets the minimum height and width requirements is only 3.34 sq ft, and therefore does not meet the requirements.

The windowsill height must not be more than 44" above the floor.

The purpose of these requirements are to ensure that exit or rescue could occur through the window in an emergency.


There is an information sheet available to break this down with more detail: <u>AFH Information Sheet Window Requirements.docx (live.com)</u>

#### **Bedrooms – Doors**

Door handles shall be operable with one hand and shall not require tight grasping, pinching or twisting of the wrist. Lever style door handles meet the requirements.

		Resident Bedroom / Ba	throom Worksheet	Attachment E1
Bedroom A Meas	urements: Length (L) x \	Width (W) divided by 144 = Square Feet (So	. Ft.)	
Evacuation Level	Subtotal Sq. Ft. =			
□ I □ I/A	- Closet / Storage			
	- Door Swing			
Capacity	- Other			
1 1 2	- Other			
	= Usable Sq. Ft.			
Exit does not pass three Window:** Unobstructed Windowsill height does of the	*M N N/A	Door opening device	** Window specifications: Minimum height – 24", Minimum width – 20", M footage opening – 5.7 sq. ft. except at grade level where it may be 5 sq.  ** Every closet shall be readily openable from the inside. Operable parts of do latches, locks, and other devices installed in adult family homes shall be open hand and shall not require tight grasping, pinching, or twisting of the wrist (le Pocket doors shall have graspable hardware available when in the closed or	ft. or handles, pulls, erable with one ever style).
Lighting: Door: Lock Doorway width minimun		Audible		

# **Bedrooms – Doors**



Doorways must have a **clear width** of at least 27"

# **Door Swing Calculations**

	CALCULATIONS: FOR 'DOOR SWINGS'					
DOOR WI	DOOR WIDTH IN INCHES = SQ FT FOR 1/4 OF CIRCLE SWING					
DR WIDTH*	SQ FT 1/4 SWING	DR WIDTH*	SQ FT 1/4 SWING			
25"	3.41 SQ FT	33"	5.94 SQ FT			
26°	3.69 SQ FT	34"	6.30 SQ FT			
27°	3.98 SQ FT	35"	6.68 SQ FT			
28"	4.28 SQ FT	36"	7.07 SQ FT			
29°	4.59 SQ FT	37"	7.47 SQ FT			
30°	4.91 SQ FT	38"	7.88 SQ FT			
31"	5.24 SQ FT	39"	8.30 SQ FT			
32"	5.59 SQ FT	40"	8.73 SQ FT			

Door swing is calculated using the formula for the area of a circle divided by 4.

The width of the door equals the radius.

Door swing = 
$$\pi r^2/4$$

The door swing is subtracted from the total room square footage when determining usable floor space.

# **Bedrooms – Usable Floor Space**


Usable floor space means resident bedroom floor space exclusive of

- 1) Toilet rooms;
- 2) Closets;
- 3) Lockers;
- 4) Vestibules (small room or hall between an outer door and main part of the resident room);
- 5) Door swing if the bedroom door opens into the resident bedroom.

The above spaces will be subtracted when calculating usable floor space.


# **Bedrooms - Cleanliness**

A basic resident right is a clean and home like environment. The room can be bare of furniture, but carpets, walls, windows, windowsills, etc., are expected to be clean.




# **Bedrooms - Closets**

Every closet door must open from the inside and outside. For sliding closet doors this means they must have either: 1) a graspable handle on **both sides**, or 2) a stopper that prevents the door from closing all the way and allows residents to use their hand to open.




# **Bedrooms – Smoke Detectors**

Each bedroom must have a smoke detector that works and is audible throughout the home. All smoke detectors must be interconnected in such a manner that the activation of one alarm will activate them all.



# **Bedrooms – Heat Source**


Cadet style or baseboard heaters that get hot to the touch require a stable flameresistant barrier that does not get hot to the touch and prevents any contact by residents, or any flammable materials is required.



# **Bathrooms – Water Temperature**

Ensure water temperature is at least one hundred five degrees and does not exceed one hundred twenty degrees Fahrenheit at all fixtures used by or accessible to residents.


#### Between 105° and 120°



#### **Bathrooms - Doors**


All adult family homes must ensure the home has toilets and bathing facilities that provide each resident with privacy.

Pocket or barn doors may not allow for visual or auditory privacy in a bathroom because of a gap.



# **Bathrooms - Windows**

If the window opens, a screen is required. Each window must have a privacy cover if residents could be seen from the window on the outside. A frosted window may meet requirements if it provides privacy.




# **Bathrooms – Grab Bars**

Toilet and bathing unit grab bars must be securely fastened. WAC <u>51-51-0330</u> lists requirements regarding grab bar strength, dimensions, spacing, and more. These requirements are looked at by the building official prior to this initial inspection


The Licensor will verify at least one grab bar is available at each shower, bath, and toilet available for resident use and that all installed grab bars can support the weight

of the licensor.




# **Bathrooms – Toxic Items**

Keep all toxic substances and hazardous materials in locked storage and in their original containers.




# **Interior Physical Environment – Inspection Postings**



#### The licensor will look for:

- 1. A location in a common area where copies of most recent inspections from past 12 months can be easily viewed by residents.
- 2. A posted notice stating that copies of the following are available for review if requested:
  - a. Inspection reports and related cover letters received during the past three years.
  - b. Complaint investigations and related cover letters received during the past three years.


# **Interior Physical Environment – Evacuation Plan**



The adult family home must develop an emergency evacuation plan for each level of the home that:

- Is accurate and includes all rooms, hallways, and exits (such as doorways and windows) to the outside of the home;
- Illustrates the emergency evacuation route(s) to exit the home, with the route to the emergency exit door being easily identifiable; and
- Identifies the **designated safe location** for the residents to meet outside the home.

# **Interior Physical Environment – Common Areas**



#### Capacity


Large enough for all residents to use at the same time (a seat for each resident the home will be licensed for).

#### Fireplaces

Fireplaces that get hot to the touch require a stable flame-resistant barrier that does not get hot to the touch and prevents any contact by residents, or any flammable materials is required.

A sign or statement in notice of rights that the fireplace is not for use meets requirements.


# **Interior Physical Environment – Telephone**



#### The licensor will

- Call the telephone to ensure phone is working and connected at the time of inspection.
- Ensure it allows for resident privacy and reasonable access to make and receive phone calls (a corded phone will not allow privacy if the resident is stuck in a common area).

# Interior Physical Environment – Call Systems and Trip Hazards



#### Call system

Provide each resident a call bell, or an alternative way of alerting staff in an emergency, that the resident can use,


#### unless

the bedroom of an AFH staff member is within hearing distance of the resident's bedroom **and** a staff member will be within hearing distance at all times.

#### Trip hazards

Thresholds may be a trip hazard.

### **Interior Physical Environment – Steps**




#### Steps

Handrails are required on both sides if utilized by residents.

If the adult family home will provide care and services for residents with wheelchairs, walkers and canes, any steps that are accessible to residents need a plan to prevent falls. A barrier may be sufficient.

Interior and exterior ramps are subject to the same requirements, these are reviewed on <u>slide 42</u>

### **Interior Physical Environment – Laundry**



#### Laundry

If

residents are required to pass through the kitchen with soiled laundry to get to washer

#### then

there must be an infection control plan (i.e., all soiled laundry goes in hefty bag that gets sealed and cannot be opened until it gets to the washer).

#### **Interior Physical Environment - Kitchen**


#### Water Temperature

Ensure water temperature is at least one hundred five degrees and does not exceed one hundred twenty degrees Fahrenheit at all fixtures used by or accessible to residents.

#### Between 105° and 120°

#### Stocked and Ready

The kitchen should be set up as if a resident were going to move in that day (not food, but dishes, pots, pans, cups, silverware, etc.).



# Interior Physical Environment – Fire Extinguishers

The home must ensure fire extinguishers are:


Five-pound 2A:10B-C rated

Mounted on each level of the home

 Mounted or securely fastened in a stationary position at a minimum of four inches from the floor and a maximum of sixty inches from the floor.

#### **Between 4"-60"**

 Inspected and serviced annually. During the initial inspection this means that it requires proof of purchase or service within the last year.




### Interior Physical Environment – Smoke Detectors

If there is an area identified for adult family home staff to sleep, this area must also have a smoke detector.

All smoke detectors must be interconnected in such a manner that the activation of one alarm will activate them all.

Every level of the home requires a smoke detector even if it will not be for resident use.




# **Interior Physical Environment – Medication Storage**

The adult family home must ensure all prescribed and over-the-counter medications are stored:

In locked storage,

In original container with legible and original labels,


Appropriately for each medication, i.e., refrigerated medication is kept in the refrigerator in locked storage.




# **Interior Physical Environment – Emergency Supplies**

Ensure the flashlights have batteries and are out of their package ready for use.

The licensor will test each flashlight (one for each planned resident).



## Exterior Physical Environment – Emergency Exit Door



At least one door leading to the outside must be designated as an emergency exit.

The doorway must:

Be a minimum of 32" wide and 78" high.

Have a lever door handle on both sides and hardware that allows residents to exit when the door is locked and immediately reenter without a key, tool, or special knowledge or effort by residents.

Be free of trip hazards (i.e., threshold).


## **Exterior Physical Environment – Emergency Exit Door**



https://www.youtube.com/watch?v=9Fla\_ynXJOc

Sharing this video is not a recommendation or endorsement of a specific brand. The purpose of sharing this video is to show how an interconnected lock works.

### **Exterior Physical Environment – Ramps**



Handrails for ramps must:


be on **BOTH** sides,

extend full length of slope. Starting at top and go all the way down.

The building inspector will measure the actual slope prior to this visit. Information on slope requirements in WAC 51-51-0330.

These requirements apply to interior or exterior ramps, the pictured working papers are for documenting exterior ramps.

## **Exterior Physical Environment – Deck**



The licensor will check for:

sturdy barriers, trip or fall hazards (i.e., threshold), accessibility for residents in wheelchairs.

Interior and exterior steps are subject to the same requirements, these are reviewed on <u>slide 33</u>


## Exterior Physical Environment – General Safety

#### The licensor will:

ask about the safety plan (i.e., barrier) if the home is on a busy street or there are drop off areas.

assess if house numbers are visible from street, not obstructed by shrub or décor.

assess the designated safe meeting place for accessibility by residents.



<sup>\*\*\*</sup> i.e., fountain, hot tub, pool, natural body of water such as stream, river, lake, p.

### **Exterior Physical Environment – Yards**

The licensor will observe that all yards (front, back, side) are free of hazards, toxins, and yard debris that are accessible to residents.

General Safety Issues *M	N N/	A Notes
Located on busy street		Designated safe meeting lo Outdoor resident use area lo ** Any outdoor security can
(no trip / fall hazards)		1 1 1 1
Front, Back, Side Yards *M	N N/	- Notes
No hazards, toxic materials		** Any outdoor storage are:
** No obstructions egress		
residence windows		]
** No obstructions walkways		!
Yards maintained		1
Water Hazard Identified *M	N N/	A Notes
*** Type:		·   —
ourself, or gaine and load allotty		
to or surround the water hazard		1
to or surround the water hazard		1
to or surround the water hazard   Requires fencing 48 inches		
to or surround the water hazard		
to or surround the water hazard  Requires fencing 48 inches		
to or surround the water hazard  Requires fencing 48 inches		l A Notes
to or surround the water hazard		I I I I I I I I I I I I I I I I I I I
to or surround the water hazard		I I I I I I I I I I I I I I I I I I I

<sup>\*\*\*</sup> i.e., fountain, hot tub, pool, natural body of water such as stream, river, lake, p


### **Exterior Physical Environment – Water Hazard**

Water hazards that are more than 24" deep require:

Enclosed fences and gates at least 48" high.

Audible alarm that sounds when any door, screen, or gate that directly leads to or surrounds the water hazard is opened.

Are secured by locking any doors, screens, or gates that lead directly to or surround the water hazard.



<sup>\*\*\*</sup> i.e., fountain, hot tub, pool, natural body of water such as stream, river, lake, p.

# **Exterior Physical Environment – Outdoor Buildings**

Outdoor buildings must be accessible during the inspection even if they will not be used.

General Safety Issues *M	N N	N/A	Notes
Located on busy street			Designated safe meeting lo
Located at top of ravine	i i		Outdoor resident use area le
Drop off areas such as rock walls			** Any outdoor security can
Walkways used by residents			Any outdoor security can
(no trip / fall hazards)			
House numbers visible from street			
Outdoor resident use area			
Designated safe meeting place			
Front, Back, Side Yards *M	N N	N/A	Notes
No hazards, toxic materials			** Any outdoor storage are:
No debris, broken glass			
** No obstructions egress			
residence windows			
** No obstructions walkways			
Yards maintained			
Water Hazard Identified *M	N N	N/A	Notes
*** Type:			
Secured by locking any doors,			
screens, or gates that lead directly			
to or surround the water hazard			
Requires fencing 48 inches			
Requires door alarm and lock for		_	
any gate leading to the water			
hazard			
Non-potable water identified			
Outdoor Buildings *M	N N	N/A	Notes
Locked			
		_	
Safety			

<sup>\*\*\*</sup> i.e., fountain, hot tub, pool, natural body of water such as stream, river, lake,

# Floor Plan Key

#### The Floor Plan "Key" is reviewed, signed, and dated.

BEDROOM BEDROOM CAPACITY BEDROOM LABEL¹  DESIGNATION (CHECK ONE) (CHECK ONE) N/A²  A	house and main
DESIGNATION (CHECK ONE) (CHECK ONE) N/A2 Independent/Assistance (I/A).  A	house and main
C 1 2 I I I/A N/A The resident using this bedroom is able to ambulate out of the bedroom, through the h	
egress (exit) door to the ground, without use of physical assistance, can, walker, or with one (1) queuing.	, und
E	
G	
H	nore verbal
CHECK "N/A" IF THE BEDROOM IS NOT BEING LICENSED.  NOTE: FLOOR PLAN AND KEY MUST MATCH.  The exit path from the bedroom MUST NOT have any of the following:  Step / stairs - Elevators - Chairlifts - Platform life	
388-76-10870 RESIDENT EVACUATION CAPABILITY LEVELS - IDENTIFICATION REQUIRED The adult family home must ensure that each resident's assessment identifies, and each resident's preliminary care plan and negotiated care plan describes the residents ability to evacuate the home according to the following descriptions:  (1) Independent: Resident is physically and mentally capable of safely getting out of the home without the assistance of another individual or the use of mobility aids. The department will consider a resident independent if capable of getting out of the home after one verbal cue;  (2) Assistance required: Resident is not physically or mentally capable of getting out of the house without assistance from another individual or mobility aids.  388-76-10865 Resident evacuation from adult family home  (1) The adult family home must be able to evacuate all residents from the home to a safe loc the home in five minutes or less.  (2) The home must ensure that residents who require assistance are able to evacuate the home in five minutes or less.  (3) Through the primary egress door, (b) Via a path from the resident having to use any of the following:  i. Stairs;  ii. Elevator  (3) Ramps for residents to enter, exit, or evacuate on homes licensed after November 1, 20 with WAC 51-51.  (4) Homes that serve residents who are not able to hear the fire alarm warning must install variables.	ome as follows:  d  one as follows:
I acknowledge receipt and understanding of the "Evacuation Label" of each bedroom in my Adult Family Home.  NAME	TE

## Floor Plan Key – Evacuation Level

The signature acknowledges receipt and understanding of the evacuation level of each bedroom.

#### Independent (I)

The Resident <u>is</u> physically and mentally capable of safely getting out of the home with the assistance of another individual or the use of mobility aids.

The department will consider a resident independent if capable of getting out of the home after one verbal cue.

#### Assistance Required (I/A)

The Resident is not physically or mentally capable of safely getting out of the home without assistance of another individual or the use mobility aids.

### **Multiple Home Providers**

Multiple Home Providers must have plans for each of the following for each home under their management:

Twenty-four hour a day, seven day a week staffing.

Managing the daily operations of each home.

Emergencies, deliveries, staff and visitor parking.

The applicant interview questions will not be asked for a MHP.

	-	•	_	
MHP:				
Staffing Pla	n			
Operationa	ΙP	lan.		
Parking Pla	n			

#### Relocations

When the initial inspection process is conducted for a relocation, some items will not be reviewed. This is because the current licensed adult family home will already have the processes and items in place.

Documents and policies that <u>will not</u> be reviewed for a relocation:

Orientation checklist for new staff Emergency evacuation drill log Accident/injury log Medication log Resident sample record Applicant interview Postings The following items <u>are not</u> required at the initial inspection for a relocation:

Furniture in the common areas

Working telephone lines

Stocked Kitchen

Fire Extinguishers

**Emergency Supplies** 

Applicant interview will not be conducted.

#### Relocations

The following items will be discussed during an initial inspection for a relocation:

#### Call bell system

If the old home <u>does not</u> have a call bell system, and it will be required to be in the new home at the time of the initial inspection and will be reviewed consistent with slide 34.

If the old home <u>does</u> have a system, and it will be required in the new home, it will not be reviewed. This is so that the system can remain in place at the current adult family.

#### Laundry

Layout dependent, if laundry will go through the kitchen an infection control plan will be discussed.

#### **Medication Storage plan**