Traumatic Brain Injury and Sleep

JAVIER'S HAS A HARD TIME FALLING ASLEEP AND HIS LACK OF SLEEP MADE HIS ANXIETY WORSE. HE ALSO BECAME FATIGUED AND IRRITABLE EASILY, IT REALLY MADE OUR LIVES

SLEEP IS COMPLEX AND INVOLVES MANY PARTS OF THE BRAIN. A TRAUMATIC BRAIN INJURY (TBI) CAN CAUSE MANY DIFFERENT TYPES OF SLEEP PROBLEMS. WE ALL HAVE AN "INTERNAL CLOCK" THAT HELPS OUR BODIES KNOW WHEN TO SLEEP AND WAKE UP. TBI CAN CAUSE OUR BRAIN TO SEND THESE MESSAGES AT THE WRONG TIME.

NOT GETTING ENOUGH SLEEP CAN ALSO LEAD TO POOR PERFORMANCE OR ACCIDENTS AT WORK.



TOO LITTLE SLEEP CAN INCREASE PEPRESSION AND MAKE AUTO ACCIDENTS MORE LIKELY.

OUR BODIES MAKE CHEMICALS THAT HELP CONTROL OUR SLEEP CYCLES.

A TBI CAN CHANGE THE WAY THAT THESE CHEMICALS AFFECT

DOING UP? IT'S 3 AM!









I COULDN'T SLEEP SO I GOT UP TO WATCH A MOVIE AND HAVE A BEER OR TWO TO HELP ME RELAX.

I DIDN'T REALIZE THAT THIS WAS STILL HAPPENING. MAYBE WE SHOULD TALK TO DR CUSHING?

> THAT'S A GOOD IDEA, I'LL CALL HER TOMORROW.



MORE THAN HALF OF PEOPLE WITH BRAIN INJURIES HAVE SLEEP PROBLEMS. ISSUES WITH SLEEP BECOME MORE COMMON AS PEOPLE GROW OLDER.


NOT BEING ABLE TO FALL ASLEEP IS CALLED INSOMNIA, IT TYPICALLY BECOMES LESS OF A PROBLEM WITH RECOVERY FROM TBI.

GETTING A CONSULTATION

SO, WHAT CAUSES IT?

LOTS OF THINGS... ANXIETY, PEPRESSION, A MEPICATION YOU'RE TAKING, OR EVEN JUST YOUR BEPTIME ROUTINE. I THINK YOUR PROBLEM MAY BE CAUSEP BY YOUR TBI.

IS THERE A PILL I CAN TAKE OR SOMETHING?



MEDICATIONS AND SLEEP PROBLEMS THERE ARE MEPICATIONS THAT WILL HELP WITH SLEEP, BUT MANY AREN'T RECOMMENPEP FOR PEOPLE WITH TBI.

GOOP QUESTION! MOST NONPRESCRIPTION SLEEPING MEPICATIONS CONTAIN ANTI-HISTAMINE, WHICH CAN CAUSE MEMORY PROBLEMS AND OTHER SIPE EFFECTS.



SOME MEPICATIONS
CAN MAKE SLEEP MORE
PIFFICULT. PRUGS FOR
ASTHMA, PEPRESSION,
OR PAYTIME PROWSINESS
CAN ALL CAUSE
INSOMNIA.

ON THE OTHER HAND, SOME MEDICINES CAN MAKE PEOPLE TIRED DURING THE DAY.



OFTEN THIS CAN BE APPRESSEP BY WORKING WITH YOUR POCTOR TO APJUST WHEN YOU TAKE YOUR MEDICATION OR POSSIBLY CHANGING YOUR PRESCRIPTION.

EVALUATING SLEEP PROBLEMS



JAVIER POESN'T HAVE THIS BUT, TBI CAN ALSO CHANGE YOUR BRAIN'S CONTROL OF BREATHING. THAT CAN CAUSE LOUP SNORING AND SOME TIMES EVEN BRIEF PAUSES IN BREATHING PURING SLEEP. THIS IS CALLED "SLEEP APNEA" WELL, I'P LIKE TO PO AN EVALUATION OF YOUR SLEEP PROBLEMS. FIRST I'LL PO A PHYSICAL EXAM AND THEN WE'LL TALK ABOUT YOUR BEPTIME ROUTINE...



YOUR PR WILL TALK TO YOU ABOUT YOUR MEPICATIONS AND HOW LONG YOU'VE BEEN HAVING SLEEP PROBLEMS. THEY WILL ALSO EXPLORE POSSIBLE CAUSES OF YOUR SLEEP PROBLEMS, LIKE PAIN AND DEPRESSION

SLEEP
APNEA CAUSES
YOUR BRAIN TO GET
LESS OXYGEN, ANP
THAT CAN LEAP TO HEAPACHES ANP FATIGUE. YOU
ARE MORE LIKELY TO HAVE
SLEEP APNEA IF OTHER
PEOPLE IN YOUR FAMILY
HAVE IT OR IF YOU ARE
OVERWEIGHT.







MAKES PEOPLE FALL ASLEEP SUPPENLY AND UNCONTROLLABLY DURING THE PAY










MORE HOURS THAN NORMAL







WELL JAVIER, I THINK THAT YOUR
INSOMNIA IS BEING CAUSED BY YOUR
ANXIETY. HOW PO YOU FEEL ABOUT
TALKING TO A COUNSELOR?

NOT SURE... NOT REALLY INTO TOUCHY FEELY STUFF.

Relaxati Therapy THE GOAL OF COUNSELING FOR ANXIETY IS TO EITHER EXAMINE THE SOURCES OF YOUR ANXIETY AND COME TO TERMS WITH THEM OR TO TRAIN YOUR BOPY TO CALM POWN WHEN YOU'RE FEELING ANXIOUS.



I GUESS I COULD GIVE IT A SHOT. GREAT! I'LL GET YOU SOME NAMES ON THE WAY OUT



YOU'LL STAY OVERNIGHT IN A CLINIC WHERE THEY WILL MONITOR YOUR SLEEP CYCLES. THAT WILL HELP ME FIGURE OUT IF YOU HAVE OTHER COMPLICATIONS WITH YOUR SLEEP.

I PON'T ALWAYS PO THIS BUT I'P LIKE TO REFER YOU FOR A SLEEP LAB TO MAKE SURE THAT THERE ISN'T ANYTHING ELSE GOING ON.



IT WILL HELP ME PUT TOGETHER A TREATMENT PLAN. IN THE MEAN TIME, COUNSELING WILL LIKELY HELP WITH YOUR ANXIETY. HERE'S LIST OF SOME OTHER THINGS THAT WILL HELP YOU GET BETTER SLEEP.



WHAT CAN I DO?

- I) USE AN ALARM TO WAKE YOU UP AT THE SAME TIME EVERY DAY, AND TRY TO GO TO BED AT THE SAME TIME EVERY NIGHT.
- 2) EXERCISE PAILY PEOPLE WITH TBI WHO EXERCISE REGULARLY REPORT FEWER SLEEP PROBLEMS.
- 3) PON'T EAT RIGHT BEFORE BEP OR GO TO SLEEP HUNGRY, THAT WAY YOU WON'T WAKE UP BECAUSE YOU'RE TOO HUNGRY OR FULL.
- 4) DON'T EAT, WATCH TV, OR READ IN BED.
- 5) IF YOU DON'T FALL ASLEEP IN 30 MINUTES, GET UP AND DO SOMETHING RELAXING OR BORING UNTIL YOU FEEL SLEEPY.



THESE ARE AVAILABLE AT MOST NATURAL FOOD OR PRUG STORES. BE SURE TO TELL YOUR POCTOR IF YOU'RE TAKING ANY OF THESE BECAUSE THEY INTERACT WITH SOME MEDICATIONS

BEGIN TO IMPROVE YOUR SLEEP BY CHANGING YOUR BEHAVIOR AND ENVIRONMENT

EVERY NIGHT BEFORE BED.





REMOVE PISTRACTIONS, CUT NOISE, KEEP THE TEMPERATURE REGULAR, ANP BLOCK LIGHT FROM MY SLEEPING AREA.



I USEP TO HAVE A
COUPLE OF BEERS
BEFORE BEP EVERY
NIGHT SO NOW I AVOID
PRINKING TOO MUCH
BEFORE BEP.



I'VE CUT POWN ON THE TV I WATCH, ANP I NEVER WATCH IT IN BEP ANYMORE. I MAPE ALL THE CHANGES PR C SUGGESTEP ANP MARY PIP SOME RESEARCH ANP FOUND SOME OTHER THINGS THAT I'VE TRIEP...





I PON'T HAVE CAFFEINE OR NICOTINE LESS THAN FIVE HOURS BEFORE BEP BECAUSE THEY ARE BOTH STIMULANTS THAT INTERFERE WITH MY SLEEP.





I GET OUTSIPE FOR SOME SUN EVERYPAY, AND WHEN IT'S CLOUPY, I USE A LIGHT BOX.

I'M SO GLAP WE TALKEP TO PR. CUSHING. JAVIER'S INSOMNIA MAPE OTHER PROBLEMS WORSE: HE HAP TROUBLE THINKING AND LEARNING THINGS WHEN HE WASN'T GETTING ENOUGH SLEEP. HE ALSO GOT FRUSTRATEP OR ANGRY EASILY. IT WAS HARP FOR EVERYBOPY. THINGS AREN'T PERFECT NOW BUT THEY'RE BETTER.



ASK YOUR DR ABOUT THESE OTHER TREATMENTS:

SLEEP RESTRICTION...

IS RESTRICTING THE TIME SPENT IN BEP TO ONLY WHEN YOU'RE SLEEPING, THIS TREATMENT MAY HELP TO IMPROVE YOUR SLEEP PATTERNS.

PHOTOTHERAPY...

IS THE USE OF SPECIAL BRIGHT LIGHTS AT STRATEGIC TIMES IN THE PAY, THIS TREATMENT CAN HELP TO HAVE MORE NORMAL SLEEP STARTS AND FINISHES.

SOURCE

The health information presented in this Graphic Fact Sheet is based on evidence from research and/or professional consensus and has been reviewed and approved by an editorial team of experts from the TBI Model Systems.

AUTHORSHIP AND ILLUSTRATION

This content was taken from the document Sleep and TBI, which was developed by Brian Greenwald, MD and Kathleen Bell, MD, in collaboration with the Model Systems Knowledge Translation Center.

Portions of the original document were adapted from materials developed by the New York TBIMS, the Carolinas TBI Rehabilitation and Research System, and from Picking up the Pieces after TBI: A Guide for Family Members, by Angelle M. Sander, PhD, Baylor College of Medicine (2002).

Sleep and TBI, was adapted into this Graphic Fact Sheet by Silas James and illustrated by Matthew Cory.

Funding for this project was provided by Veterans Training Support Center; University of Washington; University of Washington TBI Model System; Washington State Department of Veterans Affairs; National Institute of Disability and Rehabilitation Research; and King County. This document is to be distributed free of charge. TBIMS retains ownership of both this document and its content, any modification is prohibited. © TBIMS, 2014









