



Photographs

Western State (TRC Building) Lakewood, WA 7/2/2018

229 Whitney Drive Barrington, IL 60010

mslhealthcare.com

Office : 888 951 1114 Fax : 888 951 1117



TRC 1st and Ground floors Corridors (Door closure) - Risk H






Photographs – 7/2/2018 – Western State (TRC Building) – Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.

RPA, a JENSON HUGHES company — p: 585.223.1130 | MSL Healthcare Partners, Inc. — p: 888.951.1114



TRC 1st and Ground floors Corridors (Exit signs-like kind) - Risk H





Photographs — 7/2/2018 — Western State (TRC Building) — Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.


RPA, a JENSON HUGHES company - p: 585.223.1130 | MSL Healthcare Partners, Inc. - p: 888.951.1114





Photographs – 7/2/2018 – Western State (TRC Building) – Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.





Photographs – 7/2/2018 – Western State (TRC Building) – Lakewood, WA


Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.






Photographs - 7/2/2018 - Western State (TRC Building) - Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.



TRC all rooms (Lay in ceilings) - Risk M






Photographs — 7/2/2018 — Western State (TRC Building) — Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.

TRC all rooms (White boards, Ceiling mounted projector, Projector screen) - Risk M









RPA, a JENSON HUGHES company - p: 585.223.1130 | MSL Healthcare Partners, Inc. - p: 888.951.1114

Photographs — 7/2/2018 — Western State (TRC Building) — Lakewood, WA


Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.





TRC-1B11, 1B14; 0B33 (Sink & paper towel) - Risk M







RPA, a JENSON HUGHES company - p: 585.223.1130 | MSL Healthcare Partners, Inc. - p: 888.951.1114

Photographs - 7/2/2018 - Western State (TRC Building) - Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.








Photographs — 7/2/2018 — Western State (TRC Building) — Lakewood, WA


Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.

RPA, a JENSON HUGHES company — p: 585.223.1130 | MSL Healthcare Partners, Inc. — p: 888.951.1114










Photographs – 7/2/2018 – Western State (TRC Building) – Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.



RPA, a JENSON HUGHES company - p: 585.223.1130 | MSL Healthcare Partners, Inc. - p: 888.951.1114






Photographs - 7/2/2018 - Western State (TRC Building) - Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.

TRC- 1B14 (Telephone) - Risk H






TRC- 1B16 (Telephone) - Risk H

TRC-0B18 Gym (Basketball backboard) - Risk H








RPA, a JENSON HUGHES company - p: 585.223.1130 | MSL Healthcare Partners, Inc. - p: 888.951.1114

Photographs – 7/2/2018 – Western State (TRC Building) – Lakewood, WA


Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.





Photographs — 7/2/2018 — Western State (TRC Building) — Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.





Photographs - 7/2/2018 - Western State (TRC Building) - Lakewood, WA

Confidential and privileged communication is not to be used without the permission of the author. The information contained in this report is for the express purpose of aiding the organization in its own self-assessment activities, and is a component of that self-assessment. Self-assessments have no direct impact on the official findings or conclusions of The Joint Commission, or CMS, whether done by the organization or third party consultants, and may not prevent all suicide attempts.