


Profile of Substance Use and Need for Treatment Services in Washington State



**Washington State Department of
Social and Health Services**

**Division of Alcohol
and Substance Abuse**

Research and Data Analysis

**December 1999
Revised March 2002**

CONTENTS

- * The purpose of the report
- * Washington Needs Assessment Household Survey
- * Measures of substance use disorder
- * Population groups for analysis
- * Estimates of substance use disorder
- * Estimates of current need for SA services
- * Treatment Assessment Report Generation Tool
- * Service trends from TARGET database
- * Service use by modality and activity
- * Service use by demographics
- * Comparisons of need and service use



U.S. DEPARTMENT HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Center for Substance Abuse Treatment


A more expansive version of this report can be found online at:
<http://psy.utmb.edu/estimation/dasa99/report/drugmenu.htm>

Additional copies of this report may be obtained from the
Washington State Alcohol/Drug Clearinghouse
at 1-800-662-9111 (within Washington State) or
206-725-9696 (within Seattle or outside Washington State),
by e-mail at clearinghouse@adhl.org
or by sending a written request to:

Washington State Alcohol/Drug Clearinghouse
3700 Rainier Avenue South, Suite A
Seattle, Washington 98144

This report, originally published in December 1999, was revised in March 2002. Corrections were made to the percentages cited in the text in the last line on page 5 and to the estimated treatment need and the use/need ratio for the 25-44 age group in Table 8 on page 12.

Profile of Substance Use and Need for Treatment Services in Washington State



**Washington State Department of
Social and Health Services**

**Division of Alcohol
and Substance Abuse**

Research and Data Analysis

**December 1999
Revised March 2002**

CONTENTS

- * The purpose of the report
- * Washington Needs Assessment Household Survey
- * Measures of substance use disorder
- * Population groups for analysis
- * Estimates of substance use disorder
- * Estimates of current need for SA services
- * Treatment Assessment Report Generation Tool
- * Service trends from TARGET database
- * Service use by modality and activity
- * Service use by demographics
- * Comparisons of need and service use

CSAT
Center for Substance
Abuse Treatment
SAMHSA

Produced under a contract funded by the Center for Substance Abuse Treatment,
Substance Abuse and Mental Health Services Administration,
U.S. Department of Health and Human Services
Center for Substance Abuse Treatment, 5600 Fishers Lane
Rockwall II Suite 616, Rockville, Maryland 20857. 301.443.5052

The Purpose of This Report

The purpose of this report is to provide local planners and evaluators with information that can be used to compare need for and utilization of substance abuse services in counties and demographic subpopulations. The methods used for these county profiles update and improve upon the analyses presented in the first set of county profiles published in 1996. The new county profiles are also complemented by a more comprehensive report located on the DSHS Internet site which includes more detail on methods and additional breakdowns of results. The shorter county profiles are designed to summarize county-specific information and to be printable for distribution as a paper report. Each county profile provides the following:

- estimates of the demographic characteristics of each county population;
- estimates of substance use, substance use disorder, and need for treatment based on the Washington State Needs Assessment Household Survey (WANAHS);
- service utilization data from the Division of Alcohol and Substance Abuse's treatment assessment database (TARGET); and
- comparisons of need for services and use of services both county-wide and by demographic subgroup

The Washington Needs Assessment Household Survey (WANAHS)

The WANAHS was a statewide survey of over 7,000 adults designed to measure the prevalence of substance use and need for treatment. It was conducted over a 14-month period from September 1993 through October 1994. Funding was provided by a grant from the Federal Center for Substance Abuse Treatment. The Washington State Department of Social and Health Services (DSHS) Research and Data Analysis (RDA) section conducted the project on behalf of the DSHS Division of Alcohol and Substance Abuse. Telephone interviewing was provided by Washington State University's Social and Economic Sciences Center. The WANAHS sample included large numbers of minorities and other special groups in order to facilitate demographic analyses. The WANAHS sample included approximately equal numbers of interviews with African Americans, Asians, Hispanics, American Indians, and non-Hispanic Whites. Additional samples of people living at or below 200% of the Federal Poverty Level (FPL), rural residents, and women were interviewed adding coverage of important, but sometimes overlooked, populations. The survey instrument had questions about current and past use of or dependence on major drugs of abuse. Further details of the interviewing and survey methods are provided in the more detailed on-line report. Upon weighting the WANAHS sample to match the actual population distribution, the survey provides direct statewide estimates of substance use and as well as the need for substance abuse services. A statewide profile is also available as a companion report.

Methods for Estimating County-level Prevalence Rates. In order to derive current county level estimates for substance use, abuse and need for treatment from the statewide survey, it was necessary to construct a demographically specified population matrix for each county against which the statewide survey-based rates could be applied. The population matrix contained counts of persons in all groups defined by age, sex, race, marital status, high school graduation, poverty status (at or below 200% of the Federal Poverty Level), and residence type. The population groups were developed from 1990 U. S. decennial census data and updated with current estimates for age, sex, and race from DSHS. All annual estimated and forecasted population figures are adjusted to match official Washington State population figures from the Office of Financial Management.

The substance use variables from the WANAHS were analyzed by the demographic variables listed above. Logistic regression models estimated rates for each cell in the demographic matrix. Differences

between counties in estimated rates of substance abuse result from the demography of the county. For example, counties with higher proportions of young adults will have higher rates of current substance use than counties with lower proportions of young adults, because young adults are more likely to be using substances. Similarly, since married persons are less likely to report substance use, a county with more married people will have a lower estimate of need. Details for this method, often referred to as synthetic estimation, are provided in a more comprehensive on-line report.

Measures of Substance Use, Substance Use Disorder, and Need for Treatment

The WANAHs obtained measures of use and abuse for many different substances. Those have been presented in previous DASA reports. Some of those measures are also reported here in Tables 2 and 3. Note that tobacco use was not included in the survey. Basic measures of use include having: a) ever used a substance (lifetime use), b) used a substance in the past 12 months (past 18 months for alcohol), and c) used a substance in the past 30 days (current). In addition, the household survey incorporated items and scales from the widely used Diagnostic Interview Schedule (DIS) to assess the substance-related diagnoses of the American Psychiatric Association’s Diagnostic and Statistical Manual, Third Edition - Revised (DSM-III-R). Lifetime and past 18 month measures of substance abuse and substance dependence were obtained. Table 1 shows the symptom constructs which are part of the DSM-III-R diagnoses of substance abuse and dependence. Although there have been some changes in the diagnostic criteria with the release of DSM-IV, those are unlikely to greatly affect the present findings.

Table 1. DSM III-R Symptoms of Substance Dependence

<p>Three or more of the following:</p> <ol style="list-style-type: none"> 1. Substance is often taken in larger amounts or over a longer period than the person intended. 2. Persistent desire or one or more unsuccessful attempts to cut down or control substance use. 3. Great deal of time spent in activities necessary to get the substance, taking the substance or recovering from its effects. 4. Frequent intoxication or withdrawal when expected to fulfill major role obligations or when use is physically hazardous. 5. Important social, occupational or recreational activities given up or reduced because of substance use. 6. Continued use despite knowledge of having a persistent or recurrent social, psychological or physical problem. 7. Marked tolerance or markedly diminished effect with continued use of same amount. 8. Characteristic withdrawal symptoms. 9. Substance often taken to relieve or avoid withdrawal symptoms.
--

Specific assessment criteria for several measures of problem use are presented below:

DSM-III-R Lifetime Dependence: A person is diagnosed with lifetime dependence if:

1. they have ever had three or more symptoms of dependence, and
2. at least two of those symptoms lasted a month or more or occurred repeatedly over a longer period of time.

DSM-III-R Lifetime Abuse: A person is diagnosed with lifetime abuse if:

1. they do not have a lifetime diagnosis of substance dependence;
2. they have ever continued substance use despite having recurrent social, occupational, psychological or physical problems exacerbated by it OR used repeatedly in situations where use is physically hazardous (determined from a subset of questions used to assess dependence symptoms); and
3. at least one symptom lasted a month or more or occurred repeatedly over a longer period of time.

Past 18 Month Substance Use Disorder: A person is diagnosed with a past 18 month substance use disorder if:

1. they have a diagnosis of lifetime dependence or abuse;
2. they have used a substance in the last 18 months, and
3. they have experienced a DSM-III-R abuse or dependence symptom in the last 18 months.

Past Year Need for Treatment: A respondent needs treatment during the past year if:

1. they have a past 18 month substance use disorder; OR,
2. they "ever had a problem or felt addicted to alcohol or drugs" AND used alcohol or drugs regularly during the past 18 months (i.e. they drank an average of 3 drinks per drinking day at least once per week OR they used marijuana 50 times or more OR they used any other illicit drug 11 times or more); OR,
3. they have received licensed residential or outpatient treatment services during the past 12 months; OR,
4. they have maintained a very high level of alcohol or drug use during the past 18 months (i.e. they drank an average of 4 drinks per drinking day at least 3 to 4 times per week OR they used any illicit drug 50 times or more).

Population Groups for Analysis

Overall prevalence estimates for the various measures of substance use, disorder, and need for treatment in Table 2 and the demographically-specific estimates of treatment need in Table 3 are given for three primary populations of interest:

- **entire adult population** (age 18+) including those living in households, institutions (prisons, hospitals, and nursing homes) and group quarters (military barracks, college dorms, shelters). Residential setting is defined according to the U.S. Bureau of the Census definition. The estimates for this population are based on WANAHS survey rates, except that for the institutional population, particularly those in prison, the rates in the WANAHS survey have been inflated beyond the rates for corresponding demographic cell in the household population to compensate for higher rates in these institutional populations.
- **adult population living in households** regardless of poverty status. Estimates for this column come directly from the WANAHS.
- **adult population living in households and living at or below 200% of the Federal Poverty Level (FPL)**. Estimates for this population are based on a subset of survey respondents living at or below 200% of the federal poverty guidelines which approximates people potentially eligible for publicly funded treatment services. The proportion of persons in poverty is not updated from the 1990 census data but is adjusted with changes in age, sex, and race.

Estimates of Substance Use, Disorder, and Need for Treatment

Table 2 presents current, one-year, and lifetime estimates for a variety of alcohol and drug measures. Within each of the columns is a presentation of the estimated number of cases and percent (the rate per 100) of adults estimated to be in need. The population base or denominators for the percentages can be found in the Total row of Table 3.

**Table 2. Estimates of Substance Use, Disorder, and Service Need
for 1998 for Washington State**

	Entire Adult Population*		Adult Household Residents		Adults at or below 200% of Poverty	
	Cases	Rate	Cases	Rate	Cases	Rate
Need for treatment						
Current Need for Substance Treatment	437,842	10.5	407,057	10.0	107,823	11.2
Alcohol or Drug disorder						
Lifetime Alcohol or Drug Use Disorder	619,752	14.9	585,586	14.4	149,174	15.5
Past 18-Month Alcohol or Drug Use Disorder	320,460	7.7	297,060	7.3	76,793	8.0
Alcohol disorder						
Lifetime Alcohol Use Disorder	514,072	12.3	485,313	11.9	112,786	11.7
Past 18-Month Alcohol Use Disorder	297,888	7.1	276,722	6.8	65,611	6.8
Drug disorder						
Lifetime Drug Use Disorder	209,345	5.0	195,660	4.8	64,981	6.8
Past 18-Month Drug Use Disorder	73,514	1.8	66,818	1.6	25,913	2.7
Alcohol use						
Lifetime Use of Alcohol	3,849,864	92.4	3,749,550	92.3	834,189	86.7
Past 18-Month Use of Alcohol	2,991,651	71.8	2,908,533	71.6	554,368	57.6
Past 30-Day Use of Alcohol	2,327,576	55.9	2,258,693	55.6	407,541	42.3
Use of any drug						
Lifetime Use of Any Illicit Drug	1,692,829	40.6	1,634,432	40.2	370,455	38.5
Past 12-Month Use of Any Illicit Drug	428,627	10.3	396,862	9.8	107,310	11.1
Past 30-Day Use of Any Illicit Drug	216,518	5.2	197,484	4.9	64,090	6.7
Marijuana use						
Lifetime Use of Marijuana	1,623,826	39.0	1,567,364	38.6	350,666	36.4
Past 12-Month Use of Marijuana	394,323	9.5	365,204	9.0	95,154	9.9
Past 30-Day Use of Marijuana	207,812	5.0	189,792	4.7	57,713	6.0
Stimulant use						
Lifetime Use of Stimulants	700,635	16.8	663,510	16.3	191,496	19.9
Past 12-Month Use of Stimulants	84,504	2.0	76,040	1.9	28,554	3.0
Past 30-Day Use of Stimulants	36,526	0.9	34,015	0.8	8,792	0.9
Cocaine use						
Lifetime Use of Cocaine	537,680	12.9	509,397	12.5	122,430	12.7
Past 12-Month Use of Cocaine	72,389	1.7	63,371	1.6	25,257	2.6
Past 30-Day Use of Cocaine	23,883	0.6	21,977	0.5	6,572	0.7

* Includes institutions and group quarters

Estimates of Current Need for Substance Abuse Services

Table 3 presents estimates of the prevalence of current need for substance abuse services by demographics. As in the previous table, the columns correspond to the total adult population, the household adult population, and adults in households at or below 200% of the Federal Poverty Level. These have current need estimates of 10.5%, 10.0%, and 11.2%, respectively. As can be seen, there is

substantial demographic variability in the estimated rates with higher estimates of need for: younger persons, men, American Indian or Alaskan Natives and Whites, those never married, high school graduates, and those living at or below 200% of poverty. Estimates are also higher for those in institutions and group quarters.

Table 3. Estimates of Current Need for Substance Abuse Treatment for Washington State for 1998

Group	Entire Adult Population*			Adult Household Residents			Adults at or below 200% Poverty		
	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Total	437,842	4,167,434	10.5	407,057	4,062,894	10.0	107,823	962,573	11.2
Age	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
01-17	Not Available			Not Available			Not Available		
18-24	129,912	507,712	25.6	116,042	468,338	24.8	39,205	175,418	22.3
25-44	231,471	1,781,464	13.0	218,587	1,754,324	12.5	54,100	412,333	13.1
45-64	62,230	1,228,324	5.1	59,813	1,220,230	4.9	11,266	198,039	5.7
65+	14,229	649,934	2.2	12,615	620,002	2.0	3,252	176,784	1.8
Sex	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Male	300,665	2,051,878	14.7	273,842	1,988,618	13.8	70,148	411,848	17.0
Female	137,176	2,115,556	6.5	133,215	2,074,276	6.4	37,675	550,725	6.8
Ethnicity	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
White-NH	393,476	3,556,866	11.1	368,912	3,474,828	10.6	90,970	731,325	12.4
Black-NH	11,408	120,180	9.5	8,312	111,087	7.5	3,122	38,368	8.1
Asian	4,812	222,103	2.2	4,534	217,772	2.1	1,509	64,226	2.3
Native Am.**	11,221	60,901	18.4	10,317	59,044	17.5	4,950	27,280	18.1
Hispanic	16,924	207,384	8.2	14,982	200,163	7.5	7,273	101,375	7.2
Marital	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Married	158,764	2,542,402	6.2	156,187	2,527,765	6.2	28,845	406,790	7.1
Div/Sep/Wid	92,743	820,177	11.3	86,205	786,912	11.0	28,060	304,156	9.2
Never Mar	186,335	804,855	23.2	164,665	748,217	22.0	50,918	251,626	20.2
Education	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Not HS Grad	73,685	751,294	9.8	67,546	722,988	9.3	19,022	317,163	6.0
HS Graduate	364,156	3,416,140	10.7	339,512	3,339,906	10.2	88,801	645,410	13.8
Poverty	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Below 200%	137,445	1,062,667	12.9	107,823	962,573	11.2	107,823	962,573	11.2
Above 200%	300,396	3,104,767	9.7	299,234	3,100,321	9.7	0	0	.
Residence	Cases	Pop	Rate	Cases	Pop	Rate	Cases	Pop	Rate
Residential	407,057	4,062,894	10.0	407,057	4,062,894	10.0	107,823	962,573	11.2
Institutional	17,550	50,930	34.5	.	0	.	0	0	.
Group quarters	13,235	53,610	24.7	.	0	.	0	0	.

* Includes institutions and group quarters

** American Indian or Alaskan Native.

Treatment Assessment Report Generation Tool

The Division of Alcohol and Substance Abuse maintains a database of services provided under its programs. This is called the Treatment Assessment Report Generation Tool (TARGET). Reporting is required for treatment agencies providing public sector contracted or funded treatment services and optional for private pay individuals served. Thus TARGET includes data on services provided by or funded by DASA. Although sometimes included in TARGET, we did not report services funded by private payment, or private insurance, or services provided by private practitioners or detoxification provided as part of a medical admission. TARGET information collection is based on establishing a baseline at admission to treatment and capturing/identifying changes to that baseline upon discharge thus providing information on progress during treatment.

The present report draws from services data in TARGET provided to the non-institutionalized population during the five-year period from 1994 through 1998. DASA services provided to prisoners through the Department of Corrections are not included in this report. The services are summarized in three types of units designated: clients, admissions, and volume.

* *Clients* designates the number of persons who have received DASA services within the year for each of the reported categories. These counts are unduplicated such that a person only counts once for a reported type of service even if they have received multiple instances of service within that type.

* *Admissions (admits)* designates the number of identified admissions to programs within a type, and can be duplicated for an individual if that person is readmitted to the same service or is admitted to a different service within the same reporting category. When a person is admitted once for services spanning the end of a year, the admission is credited proportionally to both years. Thus a person admitted on December 1 and discharged on January 31 would be counted as having half an admission in each year.

* *Volume* is a measure of contacts. For inpatient and residential services the unit of volume is the day. A day is credited for each whole or partial day in the program. A person admitted today and discharged tomorrow would count as having two days in the program. For outpatient programs the unit of volume is the contact/visit. Thus a person who had individual therapy on Monday and Friday of a week would be credited with two visits, as would a person having an individual and a group therapy visit on the same day.

We have provided summaries of service usage in two categorizations. The primary categories for reporting services are by the modality indicated on the admission record. These include a number of specific modalities such as "intensive inpatient", and "long term residential." These detailed modalities are summarized into 1) inpatient, 2) outpatient, 3) methadone and 4) total, for most tables. In addition to summaries by modality, we have provided summaries by specific type of activity within the outpatient and methadone modalities. Although not included in the summaries above, we have also included "detox," "transitional housing," and "dual diagnosis" tabulations under the category "supportive interventions."

Service Trends from TARGET Database

Table 4 presents the service summary trends for the time period from 1994 to 1998. It includes inpatient, outpatient, methadone, and total. Generally, patterns are consistent over time with some suggestion of decreased inpatient usage over time.

Table 4. Service Trends for 1994-1998 for Washington State

Clients	1994	1995	1996	1997	1998
Inpatient Summary	8,280	9,125	9,245	9,516	9,294
Outpatient Summary	19,394	22,010	22,867	23,992	23,017
Methadone Summary	1,293	1,620	1,529	1,693	1,729
Total (Inpatient,Outpatient,Methadone)	25,639	28,811	29,560	31,132	30,188
Admits	1994	1995	1996	1997	1998
Inpatient Summary	8,847	9,695	9,834	10,432	10,164
Outpatient Summary	18,369	20,255	20,717	21,924	21,223
Methadone Summary	1,035	1,321	815	1,027	830
Total (Inpatient,Outpatient,Methadone)	28,251	31,271	31,366	33,383	32,217
Volume	1994	1995	1996	1997	1998
Inpatient summary - days	340,596	373,479	381,101	392,472	339,167
Outpatient summary - services	376,093	415,295	435,963	481,975	443,378
Methadone summary - services	47,653	65,932	68,955	73,698	77,146

Note: Total service volume is omitted because it would mix days and services.

Service Use by Modality and Activity

Table 5 presents the detailed breakout of service utilization by modality and activity. Specifically, within inpatient, outpatient, and methadone modalities, specific service activities are identified. For each modality and activity the number of clients, number of admissions, and service volumes are presented. The average volume per admission is also presented.

Table 5. Service Use by Modality and Activity for 1998 for Washington State

SERVICE SUMMARIES	Clients	Admissions	Volume	Volume/Adm.
Inpatient Summary	9,294	10,164	339,167	33.4
Outpatient Summary	23,017	21,223	443,378	20.9
Methadone Summary	1,729	830	77,146	92.9
Any Treatment	30,188	32,217	Not appl.	Not appl.
INPATIENT	Clients	Admissions	Volume	Volume/Adm.
II -Intensive Inpatient	6,259	6,189	143,949	23.3
LT -Long Term Residential	1,200	1,033	59,751	57.8
MR -MICA Residential	295	240	17,529	73.0
EC -Extended Care	1,066	961	45,770	47.6
RH -Recovery House	1,904	1,741	72,168	41.5
OUTPATIENT MODALITY	Clients	Admissions	Volume	Volume/Adm.
MO -MICA Outpatient	299	253	6,869	27.2
GC -Group Care	123	111	2,304	20.8
OP -Outpatient	22,628	20,859	434,205	20.8
METHADONE MODALITY	Clients	Admissions	Volume	Volume/Adm.
MT -Methadone Rx	1,729	830	77,146	92.9
OUTPATIENT ACTIVITY	Clients	Admissions	Volume	Volume/Adm.
OP-I Individual	17,529	16,389	69,857	4.3
OP-G Group	20,943	19,297	348,118	18.0
OP-J Conjoint - Family with Client	906	877	2,249	2.6
OP-F Family without Client	602	593	1,415	2.4
OP-C Childcare	515	483	4,984	10.3
OP-M Case Management	1,679	1,650	7,238	4.4
OP-A Acupuncture	39	39	87	2.2
OP-U Urinalysis	2,945	2,815	9,407	3.3
METHADONE ACTIVITY	Clients	Admissions	Volume	Volume/Adm.
MT-I Individual	1,686	1,189	23,494	19.8
MT-G Group	1,225	1,000	18,707	18.7
MT-J Conjoint - Family with Client	21	19	54	2.9
MT-F Family without Client	5	5	6	1.2
MT-C Childcare	106	82	1,299	15.8
MT-M Case Management	138	121	426	3.5
MT-A Acupuncture	380	312	9,096	29.1
MT-R Methadone Adjustment	578	479	6,717	14.0
MT-U Urinalysis	1,540	1,106	17,347	15.7
SUPPORTIVE INTERVENTIONS (Not in Summary)	Clients	Admissions	Volume	Volume/Adm.
DX -Detox	7,576	10,709	50,481	4.7
TH -Transitional Housing	76	53	4,390	82.8
DD -Dual Diagnosis	350	350	8,623	24.6

Service Use by Demographics

The next two tables present service summaries for modalities by demographics. Table 6 presents summaries for inpatient and outpatient services. Table 7 presents summaries for methadone and total substance abuse services.

**Table 6. Inpatient and Outpatient Substance Abuse Services
by Demographics for 1998 for Washington State**

St/Co total	Inpatient			Outpatient		
	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Total	9,294	10,164	339,167	23,017	21,223	443,378
Age	Clients	Admissions	Volume*	Clients	Admissions	Volume*
0-17	1,194	1,215	41,430	4,245	4,165	68,854
18-24	1,127	1,245	36,389	3,069	2,953	57,170
25-44	5,895	6,554	218,007	13,071	11,918	263,271
45-64	1,062	1,134	42,527	2,540	2,122	51,996
65+	16	16	814	92	65	2,087
Sex	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Male	5,764	6,311	208,849	14,400	13,015	263,249
Female	3,530	3,853	130,318	8,617	8,208	180,129
Race/ethnicity	Clients	Admissions	Volume*	Clients	Admissions	Volume*
White-NH	6,712	7,319	245,240	15,986	14,630	315,402
Black-NH	941	1,017	36,654	1,984	1,951	36,516
Asian	59	61	2,412	359	325	6,530
Native Am**	1,029	1,186	36,964	2,148	2,111	36,492
Hispanic	553	581	17,897	2,540	2,206	48,438
Marital status	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Married	635	693	19,529	2,939	2,363	58,083
Sep/Wid/Div	3,424	3,768	127,976	7,558	6,880	154,631
Single	5,193	5,647	190,075	12,396	11,873	228,607
Education	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Not HS Grad	4,188	4,525	146,611	11,572	10,876	213,551
H.S. Graduate	5,106	5,639	192,556	11,445	10,347	229,827
Household income	Clients	Admissions	Volume*	Clients	Admissions	Volume*
0-1500/mo	8,972	9,840	330,179	21,167	19,543	407,642
1501-5000	303	304	8,279	1,789	1,622	34,749
5001+	19	20	709	61	58	987
Residence	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Household	6,386	6,862	218,501	19,669	17,891	378,293
Institutional	422	465	19,138	447	484	7,679
Group quarters	2,486	2,837	101,528	2,901	2,848	57,406

* Inpatient volume is days. Outpatient volume is service contacts.

** American Indian or Alaskan Native.

**Table 7. Methadone and Total Substance Abuse Services
by Demographics for 1998 for Washington State**

St/Co total	Methadone			Total (In/Out/Meth)		
	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Total	1,729	830	77,146	30,188	32,217	Not appl.
Age	Clients	Admissions	Volume*	Clients	Admissions	Volume*
0-17	3	3	32	5,096	5,383	Not appl.
18-24	84	45	4,293	3,831	4,243	Not appl.
25-44	1,156	567	50,215	17,518	19,039	Not appl.
45-64	477	213	22,364	3,630	3,469	Not appl.
65+	9	2	242	113	83	Not appl.
Sex	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Male	773	375	32,992	18,604	19,701	Not appl.
Female	956	455	44,154	11,584	12,516	Not appl.
Race/ethnicity	Clients	Admissions	Volume*	Clients	Admissions	Volume*
White-NH	1,302	617	59,231	21,196	22,566	Not appl.
Black-NH	269	142	11,182	2,763	3,110	Not appl.
Asian	19	5	913	417	391	Not appl.
Native Am **	60	34	2,444	2,852	3,331	Not appl.
Hispanic	79	32	3,376	2,960	2,819	Not appl.
Marital status	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Married	279	101	12,219	3,589	3,157	Not appl.
Sep/Wid/Div	815	383	37,695	10,269	11,031	Not appl.
Single	630	343	27,034	16,174	17,863	Not appl.
Education	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Not HS Grad	585	270	25,597	14,705	15,671	Not appl.
H.S. Graduate	1,144	560	51,549	15,483	16,546	Not appl.
Household income	Clients	Admissions	Volume*	Clients	Admissions	Volume*
0-1500/mo	1,640	788	73,482	28,017	30,171	Not appl.
1501-5000	85	39	3,584	2,091	1,965	Not appl.
5001+	4	3	80	80	81	Not appl.
Residence	Clients	Admissions	Volume*	Clients	Admissions	Volume*
Household	1,482	679	65,844	24,646	25,432	Not appl.
Institutional	25	22	1,007	818	971	Not appl.
Group quarters	222	129	10,295	4,724	5,814	Not appl.

* Methadone volume is service contacts. No volume is provided for Total.

** American Indian or Alaskan Native.

Comparisons of Need and Services Funded through DASA

The last analysis presented in this report is a comparison of rates of estimated need for services with rates of utilization of services. This comparison of use to need, in which the number of persons being served is presented as a percentage of the number of persons estimated to be in need, is called *met need*. To the extent that met need falls short of 100%, the shortfall is called *unmet need*.

This comparison is presented in Table 8 to facilitate identification of populations which are using fewer services than would be expected from the estimated need. Statewide, the use to need rate tends to run around 20%, suggesting a rather large amount of unmet need for treatment. However, the services identified in this comparison are only from the public sector. It is reasonable to expect that the private sector, either through insurance or self-pay, would meet some additional proportion of the estimated need. On the other hand, the estimates of need used in the comparison came only from households at or below 200% of the poverty level, who may lack any alternative to public services.

The comparisons show that some groups have less unmet need than others. This occurs in part because some populations are more likely to seek treatment than others and some programs may be better in their outreach to some populations than others. The differences may also be the result of the true local rate of need being greater or less than the estimates provided.

Table 8. Rates of Current Need for Treatment, Use of DASA Treatment Services, and Ratio of Use to Need by Demographics for Washington State Adults Living in Households, 1998

	At or below 200% of Poverty			DASA Target Clients		Need Met by DASA(%)
	Population	Treatment Need	Need/Pop	Clients	Use/Pop	Use/Need
Total						
Total	962,573	107,823	11.2	19,755	2.1	18.3
Age						
18-24	175,418	39,205	22.3	3,166	1.8	8.1
25-44	412,333	54,100	13.1	13,640	3.3	25.2
45-64	198,039	11,266	5.7	2,850	1.4	25.3
65+	176,784	3,252	1.8	99	0.1	3.0
Sex						
Male	411,848	70,148	17.0	11,910	2.9	17.0
Female	550,725	37,675	6.8	7,845	1.4	20.8
Race/ethnicity						
White-NH	731,325	90,970	12.4	13,945	1.9	15.3
Black-NH	38,368	3,122	8.1	1,569	4.1	50.3
Asian	64,226	1,509	2.3	204	0.3	13.5
Native Am.*	27,280	4,950	18.1	1,951	7.2	39.4
Hispanic	101,375	7,273	7.2	2,086	2.1	28.7
Marital						
Married	406,790	28,845	7.1	3,178	0.8	11.0
Sep/Wid/Div	304,156	28,060	9.2	8,001	2.6	28.5
Single	251,626	50,918	20.2	8,480	3.4	16.7
Education						
Below HS	317,163	19,022	6.0	7,932	2.5	41.7
HS Grad	645,410	88,801	13.8	11,823	1.8	13.3

* American Indian or Alaskan Native.


Table 9 presents the trends in the relationship between estimated need for services by adults at or below 200% of poverty and the utilization of services by services eligible adults. Youth below age 18 were not included in these comparisons because they were not included in the WANAHS survey. Although the estimated numbers in need of services change with fluctuations in the population, the overall rates of need remain relatively stable in most counties. There is somewhat more variation over time in the reported use of services and consequently in the use to need ratio.

Table 9. Rates of Current Need for Treatment, Use of DASA Treatment Services, and Ratio of Use to Need for Washington County Adults Living in Households by Year


	At or below 200% of Poverty			DASA Clients		Need Met by DASA(%)
	Population	Treatment Need	Need/Pop	Clients	Use/Pop	Use/Need
Adults-1994	901,863	104,063	11.5	13,847	1.5	13.3
Adults-1995	918,855	104,947	11.4	18,901	2.1	18.0
Adults-1996	933,623	105,606	11.3	19,939	2.1	18.9
Adults-1997	948,673	106,857	11.3	20,451	2.2	19.1
Adults-1998	962,573	107,823	11.2	19,755	2.1	18.3

The distribution of estimated current need for substance treatment, treatment provided by DASA, and the percentage of need met by DASA are presented in the following maps for the year 1998. These estimates are for the adult population in households and are based on the demographic composition of the counties.

Current Need for Substance Abuse Treatment Services Among Adults Living in Households At or Below 200% FPL, 1998



Use of DASA-funded Treatment Services
by Adults Living in Households, 1998



Ratio of Adults Using DASA-funded Treatment to Adults Currently Needing Treatment
Among Those Living in Households At or Below 200% of FPL, 1998





Table 10. Rates of Current Need for Treatment, Use of DASA Treatment, and Ratio of Use to Current Need by County for Washington State Adults Living in Households at or Below 200% FPL, 1998

County	Adults Living At or Below 200% FPL					
	Total	Need Treatment		Use DASA Treatment		Use/Need Percent
		Number	% of Total	Number	% of Total	
Wash. State	962,573	107,823	11.2	19,755	2.1	18.3
Adams	4,534	359	7.9	68	1.5	18.9
Asotin	4,340	496	11.4	117	2.7	23.6
Benton	23,549	2,528	10.7	486	2.1	19.2
Chelan	15,250	1,450	9.5	363	2.4	25.0
Clallam	14,071	1,398	9.9	325	2.3	23.2
Clark	53,015	5,939	11.2	969	1.8	16.3
Columbia	1,190	96	8.1	56	4.7	58.1
Cowlitz	19,047	2,011	10.6	437	2.3	21.7
Douglas	7,331	630	8.6	86	1.2	13.7
Ferry	2,024	256	12.7	66	3.3	25.8
Franklin	13,390	1,012	7.6	264	2.0	26.1
Garfield	508	52	10.3	15	3.0	28.6
Grant	20,624	1,843	8.9	303	1.5	16.4
Grays Harbor	16,915	1,874	11.1	389	2.3	20.8
Island	11,210	1,295	11.6	209	1.9	16.1
Jefferson	6,200	677	10.9	119	1.9	17.6
King	212,311	25,212	11.9	3,845	1.8	15.3
Kitsap	31,264	3,587	11.5	620	2.0	17.3
Kittitas	8,593	1,379	16.0	108	1.3	7.8
Klickitat	5,248	508	9.7	173	3.3	34.1
Lewis	16,604	1,685	10.1	307	1.8	18.2
Lincoln	2,408	253	10.5	38	1.6	15.0
Mason	9,902	1,029	10.4	161	1.6	15.7
Okanogan	12,441	1,196	9.6	440	3.5	36.8
Pacific	6,292	538	8.5	123	2.0	22.9
Pend Oreille	3,160	319	10.1	90	2.8	28.2
Pierce	110,913	11,884	10.7	2,695	2.4	22.7
San Juan	1,905	204	10.7	84	4.4	41.1
Skagit	17,191	1,672	9.7	519	3.0	31.0
Skamania	2,323	224	9.6	49	2.1	21.9
Snohomish	66,860	7,657	11.5	1,335	2.0	17.4
Spokane	86,087	11,150	13.0	1,346	1.6	12.1
Stevens	9,833	1,083	11.0	145	1.5	13.4
Thurston	32,352	3,759	11.6	626	1.9	16.7
Wahkiakum	870	80	9.2	35	4.0	43.7
Walla Walla	11,174	1,195	10.7	228	2.0	19.1
Whatcom	29,796	4,201	14.1	718	2.4	17.1
Whitman	10,062	1,925	19.1	83	0.8	4.3
Yakima	61,787	5,166	8.4	1,652	2.7	32.0



Authors

Charles E. Holzer, III, Ph.D.
University of Texas Medical Branch at Galveston, Texas

Joseph R. Kabel, Ph.D.
DSHS / Research and Data Analysis

Daniel J. Nordlund, Ph.D.
DSHS / Research and Data Analysis

Special Acknowledgments

Kenneth Stark, Director
DSHS / Division of Alcohol and Substance Abuse

Elizabeth Kohlenberg, Ph.D., Acting Director
DSHS / Research and Data Analysis


Antoinette Krupski, Ph.D., Research Administrator
DSHS / Division of Alcohol and Substance Abuse

Department of Social and Health Services
Research and Data Analysis
P.O. Box 45204
Olympia, WA 98504-5204

Additional copies may be obtained from:
Washington State Alcohol & Drug Clearinghouse
3700 Rainier Avenue South, Suite A
Seattle, Washington 98144
Phone: (800) 662-9111 inside Washington state
Phone: (206) 725-9696 for Seattle and outside Washington

December 1999
Revised March 2002
Report 4.32 - 40
Washington State

Washington State Counties



CSAT
Center for Substance
Abuse Treatment

*Substance Abuse and Mental
Health Services Administration*

SAMHSA



Research and Data Analysis Division
Report Number 4.32-40